

U92 ATK01M7US

Ferruginous Hawk (Buteo regalis) Inventories
on the Dillon Resource Area
of Southwest Montana; 1992

by

Eric C. Atkinson

Montana Natural Heritage Program
1515 East Sixth Avenue
Helena, Montana 59620

for the

Bureau of Land Management
Dillon Resource Area
Dillon, Montana 59725

Cooperative Challenge Cost Share Program
Montana Natural Heritage Program
Bureau of Land Management

December 1992

Ferruginous Hawk (Buteo regalis) Inventories
on the Dillon Resource Area
of Southwest Montana; 1992

by

Eric C. Atkinson

Montana Natural Heritage Program
1515 East Sixth Avenue
Helena, Montana 59620

for the

Bureau of Land Management
Dillon Resource Area
Dillon, Montana 59725


Cooperative Challenge Cost Share Program
Montana Natural Heritage Program
Bureau of Land Management

December 1992

all * : S
598.944
N11FH
1992
1

acode :

Montana State Library



3 0864 1004 7149 2

ISSUED TO

DATE


© 1992 Montana Natural Heritage Program

This document should be cited as follows:

Atkinson, E. C. 1992. Ferruginous hawk (Buteo regalis) inventories on the Dillon Resource Area of southwest Montana, 1992. Montana Natural Heritage Program, Helena. 34 pp. + Append.


TABLE OF CONTENTS

INTRODUCTION	1
METHODS	4
RESULTS	7
DISCUSSION	18
CONCLUSIONS AND MANAGEMENT IMPLICATIONS	24
ACKNOWLEDGEMENTS	28
LITERATURE CITED	30



ABSTRACT

From June to August 1992, 42,890 ha of public and private land were surveyeded in Beaverhead and Madison counties of southwest Montana for the presence of Ferruginous Hawks. Fifty nests were located, including 16 active nests (15 previously undocumented territories). With the addition of these active nests, the surveyed areas of southwestern Montana contain at least 132 active territories. Hawks chose a variety of substrates upon which to nest, primarily placing nests upon rocky outcrops (51.6%) in this high elevation population ($\bar{x} = 1888 \pm 178.5$ m). Nests were located near the apexes ($65.39 \pm 17.87\%$) of steep slopes ($62.76 \pm 40.15\%$) which predominantly exhibited a southern exposure ($190.84 \pm 62.45^\circ$). Habitat within 100 m of Ferruginous Hawk nests consisted of approximately equivalent proportions of grassland and shrubland, whereas grassland constituted over 50% of the vegetation within a 1.6 km circle centered at the nest. On average, territories contained 1.31 ± 0.92 alternate nests and active territories were separated by a mean of 1911 m (SD = 659.2 m). Density of breeding Ferruginous Hawks was highly variable throughout the study area ranging from 0 to 0.10 active territories per square kilometer ($\bar{x} = 0.04 \pm 0.04$ active territories/km²). Fifty percent of the active and inactive nests were observed in the Sagebrush Steppe Association, whereas the Foothill Prairie Association contained 43.8 and 23.5% of the active



ABSTRACT

From June to August 1992, 42,890 ha of public and private land were surveyeded in Beaverhead and Madison counties of southwest Montana for the presence of Ferruginous Hawks. Fifty nests were located, including 16 active nests (15 previously undocumented territories). With the addition of these active nests, the surveyed areas of southwestern Montana contain at least 132 active territories. Hawks chose a variety of substrates upon which to nest, primarily placing nests upon rocky outcrops (51.6%) in this high elevation population ($\bar{x} = 1888 \pm 178.5$ m). Nests were located near the apexes ($65.39 \pm 17.87\%$) of steep slopes ($62.76 \pm 40.15\%$) which predominantly exhibited a southern exposure ($190.84 \pm 62.45^\circ$). Habitat within 100 m of Ferruginous Hawk nests consisted of approximately equivalent proportions of grassland and shrubland, whereas grassland constituted over 50% of the vegetation within a 1.6 km circle centered at the nest. On average, territories contained 1.31 ± 0.92 alternate nests and active territories were separated by a mean of 1911 m (SD = 659.2 m). Density of breeding Ferruginous Hawks was highly variable throughout the study area ranging from 0 to 0.10 active territories per square kilometer ($\bar{x} = 0.04 \pm 0.04$ active territories/km²). Fifty percent of the active and inactive nests were observed in the Sagebrush Steppe Association, whereas the Foothill Prairie Association contained 43.8 and 23.5% of the active

and inactive nests, respectively. Only 6.3 and 2% of the active and inactive nests, respectively, were located in the Mountain Mahogany Association. Productivity of Ferruginous Hawk nests was 1.9 ± 1.4 fledglings/territorial pair.

Ground squirrels (Spermophilus spp.) accounted for 45.5% of identified prey items, whereas passerines made up nearly 20% of the diet of this population of Ferruginous Hawks.

Vegetative diversity was measured surrounding 15 active nests from the Centennial Valley north to the Dillon area.

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

INTRODUCTION

The Ferruginous Hawk (Buteo regalis) is the largest buteo in North America and has been shown to be strongly associated with grasslands, and to a lesser extent, shrub steppe communities where open areas are available for foraging. Ferruginous Hawks historically nested over much of western North America (Figure 1). Many researchers have inferred or demonstrated that Ferruginous Hawk populations have declined through portions of their range and since 1982, this species has been classified as a Category 2 species by the United States Fish and Wildlife Service (USFWS) (Woffinden 1975, Oakleaf 1985, Powers and Craig 1976, Murphy 1978, Bechard 1981, Evans 1982, Houston and Bechard 1984, Schmutz 1984, Schmutz et al. 1984, Woffinden and Murphy 1989, USFWS 1992). In 1991, the USFWS was petitioned to list this species as "endangered" under the Endangered Species Act (Ure et al. 1991); a listing that was subsequently deemed unmerited due to the high variability within and between populations in terms of productivity and to the fact that the petition presented insufficient information to warrant such a listing (USFWS 1992) even though Ferruginous Hawks are currently considered a "threatened" species by the Canadian Wildlife Service (Johnsgard 1990). Much concern remains regarding the long-term viability of Ferruginous Hawks over much of their range.

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY

JOHN F. JOHNSON

OF THE UNIVERSITY OF CHICAGO

CHICAGO: PUBLISHED BY THE UNIVERSITY OF CHICAGO PRESS

1900

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY

JOHN F. JOHNSON

OF THE UNIVERSITY OF CHICAGO

CHICAGO: PUBLISHED BY THE UNIVERSITY OF CHICAGO PRESS

1900

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY

JOHN F. JOHNSON

OF THE UNIVERSITY OF CHICAGO

CHICAGO: PUBLISHED BY THE UNIVERSITY OF CHICAGO PRESS

1900

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY

JOHN F. JOHNSON

OF THE UNIVERSITY OF CHICAGO



Figure 1. Historic breeding range of the Ferruginous Hawk in North America.



The state-wide status and viability of Ferruginous Hawks in Montana is poorly known with studies to date centered in extreme southeastern, extreme southwestern, and north-central Montana (Ensign 1983; Myers 1987; Restani 1989, 1991; Harmata 1991; Wittenhagen 1991). Montana appears to support a relatively stable population of breeding Ferruginous Hawks, second in size only to Wyoming in the United States (Ure et al. 1991, USFWS 1992). Myers (1987) documented a very high density of nesting pairs in Beaverhead and Madison counties, rivalled by few other populations region-wide. However, similar to other portions of its breeding range, apparently suitable habitat in southwestern Montana remains unoccupied by breeding Ferruginous Hawks (Fitzner et al. 1977, E. C. Atkinson pers. observ.) and the number of active territories has likely declined historically in Montana as a result of homesteading and the concurrent conversion of native grasslands to agriculture (Dennis Flath pers. comm.). Just to our north in Alberta, Ferruginous Hawks presently occupy only 60% of the area in which they historically nested, a situation that is strongly tied to increases in land area used for agriculture and the increases of woody species associated with fire suppression (Houston and Bechard 1984; Schmutz 1984, 1987a).

This study was a continuation of the surveys of public land in southwest Montana performed in 1985 and 1986 by

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY JAMES M. SMITH

NEW YORK: PUBLISHED BY J. B. LIPPINCOTT & CO.

1850

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY JAMES M. SMITH

NEW YORK: PUBLISHED BY J. B. LIPPINCOTT & CO.

1850

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY JAMES M. SMITH

NEW YORK: PUBLISHED BY J. B. LIPPINCOTT & CO.

1850

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY JAMES M. SMITH

NEW YORK: PUBLISHED BY J. B. LIPPINCOTT & CO.

1850

THE HISTORY OF THE UNITED STATES

OF THE UNITED STATES OF AMERICA

FROM THE FIRST SETTLEMENTS TO THE PRESENT TIME

BY JAMES M. SMITH

NEW YORK: PUBLISHED BY J. B. LIPPINCOTT & CO.

1850




Figure 2. General location of the study area in southwest Montana.



Lewis Myers [Bureau of Land Management (BLM), Dillon Resource Area]. The surveys that I performed in 1992 led to the completion of an inventory program for the majority of BLM holdings in Beaverhead and Madison counties, Montana (Figure 2).

METHODS

I initiated field surveys for nesting Ferruginous Hawks on 24 June 1992 and continued until 1 August 1992. Six major areas totalling 42,890 ha (105,900 acres) to be surveyed were delineated by Dillon Resource Area (BLM) biologist Jim Roscoe (Appendix A). Area boundaries were transferred to 7.5 minute U.S. Geological Survey (USGS) topographic maps for use in the field.

Surveys were conducted on foot by walking ridges while intermittently stopping to survey the surrounding areas for stick nests and hawks with 9X binoculars and/or 20X spotting scope. Additionally, some areas were surveyed via 4x4 truck, again, coupled with scanning through binoculars, often from exposed promontories. One aerial survey from a fixed-wing aircraft was performed on 16 July.

Locations of Ferruginous Hawk and other raptor nests were plotted on 7.5 minute quads and a "Raptor Nest Inventory" form (BLM) (Appendix B) was filled out for each Ferruginous Hawk nest observed. I categorized the substrate supporting the nest into the following: ground = nest

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
530 SOUTH EAST ASIAN AVENUE
CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

CHICAGO, ILLINOIS 60607
TEL: 773-936-5000
FAX: 773-936-5001
WWW: WWW.CHEM.UCHICAGO.EDU

situated directly (not elevated) upon the ground; outcrop = nest situated on a rocky outcrop, the size of which ranged from < 1m to several meters in height; rimrock or bluff = a linear escarpment or fault-line, smaller than a cliff and up to approximately 12m in height; cliff = less linear than rimrock and usually > 12m in height; tree = conifer or deciduous tree, or shrub; and power pole. The activity status of each nest was determined, number and approximate age of young were recorded, slope and aspect were measured, prey items were enumerated, and pellets were collected at each nest. Additionally, I visually estimated the percent cover and percent quantity of major vegetative cover types primarily including grassland, shrubland, and shrub/grass mosaic areas within a 100 m radius of the nest and within a 1.6 km (1 mile) radius of the nest. I determined the habitat association within which each nest occurred from maps located at the Dillon Resource Area office (Kuchler 1964).

Ferruginous Hawk pellets were dissected with a 10-30X dissection scope, prey items were identified, and prey were enumerated, corrected to the minimum number of individuals represented for each nest or collection date. Beetles (Carabidae and Scarabidae) were treated as though they were incidentally ingested, hence, were not included in the analysis. Diet diversity was calculated for the complete study area (Ludwig and Reynolds 1988).

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
530 SOUTH EAST ASIAN AVENUE
CHICAGO, ILLINOIS 60607-7070
TEL: (773) 936-5270 FAX: (773) 936-5271

PROFESSOR OF CHEMISTRY
AND
DIRECTOR OF THE
INSTITUTE FOR THE STUDY OF
THE HISTORY OF SCIENCE
AND
TECHNOLOGY

1. RESEARCH INTERESTS
The research interests of the
department are in the history of
science and technology, and
the history of the earth and
planetary sciences.

2. TEACHING
The department offers a
variety of courses in the
history of science and
technology, and in the
history of the earth and
planetary sciences.

3. ADMISSIONS
The department admits
students from a variety of
backgrounds, and is
interested in students who
are interested in the history
of science and technology.

4. STUDENT ORGANIZATIONS
The department has a
variety of student
organizations, including the
History of Science and
Technology Society, and the
History of the Earth and
Planetary Sciences Society.

5. ALUMNI
The department has a
large number of alumni, and
is interested in alumni who
are interested in the history
of science and technology.
The department also has a
large number of alumni who
are interested in the history
of the earth and planetary
sciences.

From 30 July to 1 August, botanical data surrounding 15 nests (active 1992) were recorded with the use of ECODATA methodology (Appendix C, DeVelice 1991). Shannon's index and Hill's numbers as measurements of diversity for plant species present within a 10.9 m radius surrounding each nest were calculated for each ECODATA plot (Ludwig and Reynolds 1988).

RESULTS

I found a total of 16 active Ferruginous Hawk nests while performing surveys. I also discovered 24 inactive nests over the course of the field season. Nests ranged in elevation from 1635 to 2286 m (5365 to 7500 feet) (\bar{x} = 1887.8 m, SD = 178.5 m, n = 50). Legal descriptions of each nest with habitat associations are presented in Appendix D. Completed "Raptor Nest Inventory" forms are on file at the Dillon Resource Area office. Additionally, 11 active nests located in the Centennial Valley adjacent to our study area (Marco Restani, pers. comm.) were visited to record productivity and to describe nesting habitat. Locations of other raptor nests observed are listed in Appendix E.

Density of active territories was quite variable between the areas that were surveyed (Table 1). The two areas with highest Ferruginous Hawk breeding pair densities were the Frying Pan Basin and Diamond Butte areas, both of which contained a significant amount of private lands. The

Table 1. Areas surveyed, number of active territories, and densities of Ferruginous Hawks in southwest Montana.

AREA	# km ²	# ACTIVE TERRITORIES	km ² / PAIR	#PAIRS /km ²
Armstead	77.7	0	----	0.00
Bannack	59.5	1	59.5	0.02
Block Mtn.	46.6	1	46.6	0.02
Diamond Butte	19.7	2	9.9	0.10
Frying Pan Basin	77.7	8	9.7	0.10
Henneberry	57.0	1	57.0	0.02
Sweetwater	44.1	1	44.1	0.02
Vinegar Basin	46.6	1	46.6	0.02
Total	428.9	15	28.6	0.04

THE UNIVERSITY OF CHICAGO
LIBRARY

1961
1962
1963

1964
1965

1966
1967

1968
1969

1970
1971

1972
1973

1974
1975

average distance which separated active nests was 1911 m (SD = 659.15, $n = 8$) and I found that each active territory contained an average of 2.31 nests (including the active nest and any alternate nests) (SD = 1.92, $n = 16$). Eight territories contained the active nest only, whereas one territory contained seven alternate nests.

The single aerial survey proved to be quite efficient. During a period of two hours I located two Ferruginous Hawk nests in the approximately 7800 ha (19200 acres) surveyed. However, both nests were inactive. I subsequently surveyed the area on foot and by vehicle, discovering one additional inactive Ferruginous Hawk nest and an active Red-tailed Hawk nest from which young had recently fledged.

Ferruginous Hawks chose a variety of substrates for nesting, most commonly upon rocky outcrops (Figure 3). Other than those nests on cliffs or in trees, most were quite accessible from the ground, potentially accessible to ground predators. Nests were oriented nonrandomly with hawks preferring to orient their nests with a southern exposure [$\bar{X} = 190.84^\circ$, circular standard deviation = 76.94° , $n = 48$; Rayleigh's test, $z = 7.91$, $p < 0.0001$ (Zar 1974)] (Figure 4).

The slope upon which Ferruginous Hawks placed their nests was quite variable and the mean slope was quite high ($\bar{x} = 62.8\%$, SD = 40.2%, $n = 50$) (Figure 5). Most nests were

THE UNIVERSITY OF CHICAGO

DEPARTMENT OF CHEMISTRY

PHYSICAL CHEMISTRY

LECTURE NOTES

BY

PROFESSOR

JOHN

DOUGLAS

CHICAGO, ILL.

1950

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970




Figure 3. Substrates nested upon by Ferruginous Hawks in southwest Montana, 1992 (n = 60).



$\bar{x} = 190.84$ (solid arrow)
 open arrows indicate
 1 angular deviation (62.45°)
 $n = 48$

● NEST




Figure 4. Orientation of Ferruginous Hawk nests in southwest Montana, 1992.







Figure 5. Slopes nested upon by Ferruginous Hawks in southwest Montana, 1992 (n = 50).



placed on the upper 35% of these relatively steep slopes (Figure 6).

Habitat surrounding 43 Ferruginous Hawk nests was largely composed of a mixture of grassland and shrubland. Within 100 m (300 ft) of the nest, the quantity of grassland and shrubland was approximately equivalent, whereas the majority of the area within 1.6 km (1 mile) was composed of grassland (Figure 7). However, most of the nests were found within the Sagebrush (Artemisia tridentata) Steppe Association (Kuchler 1964) (Figure 8).

Productivity of Ferruginous Hawks throughout the study area and the Centennial Valley was variable with 81.5% of nests fledging at least one young [\bar{X} = 1.93 fledglings, SD = 1.38 fledglings, n = 27 (all active nests); \bar{X} = 2.36 fledglings, SD = 1.14 fledglings, n = 22 (successful nests)] (Figure 9). The most common number of young fledged per nest was two. Five nests failed to fledge young, apparently due to a number of factors including removal of the nest from a power pole by utility workers (Scott Jackson, U.S. Fish and Wildlife Service, pers. comm.), predation by a corvid, possible shooting of a nestling, chilling of eggs in a nest near a salt lick, and failure to lay eggs by one pair.

Through identification of 87 prey items I determined that Ferruginous Hawks in the southwest Montana study area preyed primarily upon small rodents, especially ground

THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS

TO THE PRESIDENT OF THE UNIVERSITY OF CHICAGO
FROM THE FACULTY OF THE DIVISION OF THE PHYSICAL SCIENCES
SUBJECT: A RESOLUTION OF THE FACULTY OF THE DIVISION OF THE PHYSICAL SCIENCES
ADOPTED AT A MEETING OF THE FACULTY OF THE DIVISION OF THE PHYSICAL SCIENCES
HELD AT CHICAGO, ILLINOIS, ON THE 15TH DAY OF MAY, 1954.

WHEREAS, the Faculty of the Division of the Physical Sciences has been informed by the President of the University of Chicago that the Board of Trustees of the University of Chicago has adopted a resolution which provides that the Faculty of the Division of the Physical Sciences shall be authorized to elect a representative to the Board of Trustees of the University of Chicago;

AND WHEREAS, the Faculty of the Division of the Physical Sciences has been informed by the President of the University of Chicago that the Board of Trustees of the University of Chicago has adopted a resolution which provides that the Faculty of the Division of the Physical Sciences shall be authorized to elect a representative to the Board of Trustees of the University of Chicago;

AND WHEREAS, the Faculty of the Division of the Physical Sciences has been informed by the President of the University of Chicago that the Board of Trustees of the University of Chicago has adopted a resolution which provides that the Faculty of the Division of the Physical Sciences shall be authorized to elect a representative to the Board of Trustees of the University of Chicago;

AND WHEREAS, the Faculty of the Division of the Physical Sciences has been informed by the President of the University of Chicago that the Board of Trustees of the University of Chicago has adopted a resolution which provides that the Faculty of the Division of the Physical Sciences shall be authorized to elect a representative to the Board of Trustees of the University of Chicago;

AND WHEREAS, the Faculty of the Division of the Physical Sciences has been informed by the President of the University of Chicago that the Board of Trustees of the University of Chicago has adopted a resolution which provides that the Faculty of the Division of the Physical Sciences shall be authorized to elect a representative to the Board of Trustees of the University of Chicago;

AND WHEREAS, the Faculty of the Division of the Physical Sciences has been informed by the President of the University of Chicago that the Board of Trustees of the University of Chicago has adopted a resolution which provides that the Faculty of the Division of the Physical Sciences shall be authorized to elect a representative to the Board of Trustees of the University of Chicago;





Figure 6. Slope gradient used for nesting and slope position of Ferruginous Hawk nests in southwest Montana, 1992 (n = 50). Solid lines denote means, dashed lines denote one standard deviation.






Figure 7. Vegetation surrounding Ferruginous Hawk nests in southwest Montana, 1992 (means with standard deviations, $n = 43$).





Figure 8. Productivity of Ferruginous Hawks in southwest Montana, 1992 (\bar{x} = 1.93, SD = 1.38, n = 27).






Figure 9. Habitat associations nested within by Ferruginous Hawks in southwest Montana, 1992 (n = 50).



squirrels (Spermophilus armatus and/or S. elegans) which accounted for nearly 46% of the total number of individual prey items identified (Table 2). In this population of Ferruginous Hawks, birds contributed substantially to nesting season diet accounting for nearly 20% of the identified prey items.

Vegetation diversity in a 375 m² plot centered at each of 15 nests from the Centennial Valley to the Frying Pan Basin west of Dillon are presented in Table 3.

DISCUSSION

This study concluded an inventory of the majority of public lands in southwest Montana for nesting Ferruginous Hawks. Even though the surveys were initiated too late to observe hawks early in the nesting season, coupled with the fact that breeding phenology was apparently advanced in 1992 (Jim Roscoe, pers. comm.), I documented a considerable number of successfully breeding Ferruginous Hawks during the study. The proportion of successfully reproducing hawks was high (81.5%) with only 5 nests failing during the breeding attempt. This value is slightly higher than the 57.9 and 70.6% for 1985 and 1986, respectively, reported by Myers (1987) and substantially higher than that reported for southeastern Montana (25-27.3%) (Ensign 1983). However, caution should be exercised when comparing these nesting success data to those of other studies since I may have

THE UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY

RECEIVED
JAN 10 1964
FROM THE
LIBRARY OF THE
UNIVERSITY OF CHICAGO

LIBRARY OF THE
UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
5408 S. UNIVERSITY AVE.
CHICAGO, ILL. 60637

LIBRARY OF THE
UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY

LIBRARY OF THE
UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
5408 S. UNIVERSITY AVE.
CHICAGO, ILL. 60637

LIBRARY OF THE
UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
5408 S. UNIVERSITY AVE.
CHICAGO, ILL. 60637

LIBRARY OF THE
UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
5408 S. UNIVERSITY AVE.
CHICAGO, ILL. 60637

LIBRARY OF THE
UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
5408 S. UNIVERSITY AVE.
CHICAGO, ILL. 60637

LIBRARY OF THE
UNIVERSITY OF CHICAGO
DEPARTMENT OF CHEMISTRY
5408 S. UNIVERSITY AVE.
CHICAGO, ILL. 60637

Table 2. Prey items identified in pellets and prey remains at Ferruginous Hawk nests.

Taxon	Number	%
Insects		
Red-legged Grasshopper Acrididae	12	13.79
Mammals		
Lagomorpha		
Cottontail Rabbit <u>Sylvalagus</u> sp.	4	4.60
White-tailed Jackrabbit <u>Lepus townsendii</u>	1	1.15
unident. lagomorph	1	1.15
total lagomorphs	(6)	(6.90)
Rodentia		
Northern Pocket Gopher <u>Thomomys talpoides</u>	6	6.90
Ground Squirrel <u>Spermophilus</u> sp.*	37	45.53
Vole <u>Microtus</u> sp.**	4	4.60
Sagebrush Vole <u>Lagurus curtatus</u>	1	1.15
Deermouse <u>Peromyscus maniculatus</u>	1	1.15
unident. rodent	3	3.45
total rodents	(49)	(56.32)
total mammals	(55)	(63.22)
Birds		
Sage Thrasher <u>Oreoscoptes montanus</u>	7	8.05
Horned Lark <u>Eremophila alpestris</u>	4	4.60
Black-billed Magpie <u>Pica pica</u>	1	1.15
Vesper Sparrow <u>Pooecetes gramineus</u>	1	1.15
unident. bird	4	4.60
total birds	(17)	(19.54)

Total 87

Diversity indices:

H' = 2.01

N1 = 7.50

N2 = 4.71

* S. armatus or S. elegans** M. longicaudus or M. montanus



Table 3. Vegetative diversity surrounding Ferruginous Hawk nests as measured through ECODATA methodology (DeVelice 1991).

NEST LOCATION (TRS)	# SPP.	H'	N1	N2	E5
06S09W32NWSWNE	11	1.59	4.89	3.81	0.72
06S09W20SENESE	16	2.39	10.93	10.38	0.94
06S09W17SWSENE	15	2.11	8.23	6.99	0.83
06S09W18SWSESE	11	1.92	6.81	6.01	0.86
06S09W08NESENE	19	2.05	7.79	5.78	0.71
14S04W29NWSWSW	26	2.58	13.26	8.51	0.61
14S04W28NESESE	36	2.56	12.87	8.53	0.63
14S05W35NENENE	18	2.23	9.29	7.50	0.78
14S05W35SWNENW	12	1.89	6.63	4.81	0.68
14S06W33SESENE	12	1.87	6.52	5.61	0.84
15S06W08NESENE	13	2.07	7.93	6.96	0.86
15S06W07SWSWNE	19	2.34	10.34	8.99	0.86
12S07W28SESESE	24	2.27	9.70	6.65	0.65
09S10W19NESWNE	14	1.81	6.13	3.40	0.47
07S11W35SEENENW	11	1.96	7.08	6.01	0.82

H' = Shannon Index

N1 = Hill's Number One (number of abundant species)

N2 = Hill's Number Two (number of very abundant species)

E5 = Evenness (Modified Hill's Ratio)



THE JOURNAL OF THE

missed nesting attempts that were aborted early in the season. The densities of active Ferruginous Hawk territories were lower than those determined by Myers (1987), however, the study-wide value was still greater than the nesting density found in southeastern Montana (Ensign 1983, Wittenhagen 1991). Myers (1987) observed that the highest nesting density was in the Mountain Mahogany (Cercocarpus ledifolius) Association, whereas the lowest density occurred in the Sagebrush Steppe Association (Kuchler 1964). I surveyed very little of the Mountain Mahogany Association, finding one occupied nest, and the highest densities that I recorded were in the Sagebrush Steppe Association (Diamond Butte Area) and the Foothill Prairie Association (Frying Pan Basin Area). The nesting densities in these latter two areas were comparable to, yet still lower than, the densities reported by Myers (1987) for those two associations. Interestingly, both of the above survey areas contained a considerable portion of private lands; more so than any of the other six areas inventoried.

The number of alternate nests contained within each of the sixteen active territories was very similar to the number/territory described by Myers (1987), with the majority of territories in each study containing no alternate nests.

Productivity per occupied territory was high and similar to the values reported for 1985 and 1986 by Myers (1987). The value of 1.97 fledglings per nest is adequate to maintain a stable population of Ferruginous Hawks based upon minimum requirement of 1.5 fledglings per nest assuming

mortality of 66% and 25% for juveniles and adults, respectively (Schmutz and Fyfe 1987, Woffinden and Murphy 1989).

Selection of nesting sites was variable and, hence, quite similar to that described by Myers (1987) for portions of southwest Montana surveyed during 1985 and 1986. While Myers (1987) found that Ferruginous Hawks most commonly nested on the ground, I observed only 3 ground nests, whereas, nests on rocky outcrops were by far the most common nest type accounting for 53% of the nests observed. If only the nests discovered in the actual surveys are included (deleting the nests in the Centennial Valley), only 2 nests were located on the ground and outcrop-nests comprised nearly 66% of the total. Additionally, I determined that average slope upon which Ferruginous Hawks nested was significantly greater than the slope described by Myers (1987) ($t = 3.232$, $0.002 > p < 0.001$, $n = 366$). This difference was likely due to the more broken landscape surveyed during this study than during previous surveys in southwest Montana. Additionally, the slope gradient nested upon in southwest Montana was greater than nest slopes in southeast Montana (Ensign 1983). However, like Myers (1987) I determined that the majority of nests were located on the upper portion of slopes which may allow hawks an unobstructed vantage point and an efficient departure route from the nest.

A southern nest exposure such as I observed in this study, as well as in other studies (Smith and Murphy 1982, Ensign 1983, Myers 1987), has been interpreted to indicate a

preference for areas of high solar radiation and/or a preference for placing nests in line of the prevailing wind for lofting from the nest (Smith and Murphy 1982, Ensign 1983, Marco Restani, pers. comm.). Solar radiation may be of importance in this high elevation population of Ferruginous Hawks for when birds return from their wintering grounds snow cover may still be present in the study area and periods of inclement weather may occur in the spring (pers. observ.). This importance is borne out by the fact that three of the seven nests with a generally northward exposure ($0-90^{\circ}$ and $270-360^{\circ}$) were located in trees. Ferruginous Hawks, by nesting in trees, may be able to offset some of the harshness that they would experience when ground nesting on a north-facing slope.

I found the diet of Ferruginous Hawks in southwestern Montana to be quite diverse. Hill's measures of diversity, N_1 and N_2 , correspond to the number of abundant and the number of very abundant species, respectively, in the diet sample (Ludwig and Reynolds 1988). Therefore, over seven ($N_1 = 7.5$) different species were classified as abundant, including ground squirrels, red-legged grasshoppers, Sage Thrashers, northern pocket gophers, cottontail rabbits, voles, and Horned Larks. Over four species were classified as very abundant ($N_2 = 4.7$). Much of the dietary diversity may be attributed to the fact that Ferruginous Hawks in our study area preyed heavily upon songbirds. Songbirds accounted for nearly 20% of the diet, somewhat higher than the 12.1% reported by Restani (1991) for the Centennial Valley. Other researchers have noted that avian prey

usually contribute little to Ferruginous Hawk diet and that a high proportion of avian prey in the diet may be inferred to be the result of hawks preying upon non-preferred and, hence, alternate prey during periods of low prey abundance (Schmutz et al. 1980, Ensign 1983, Gilmer and Stewart 1983). Without actual measures of prey abundance and diversity in southwest Montana, it is difficult to postulate whether avian species are alternate prey to this population of Ferruginous Hawks.

Vegetative diversity within 375 m² plots centered at nests, as measured by Hill's N1, was quite variable with five of the six nests exhibiting values > 9.0 located in or adjacent to the Centennial Valley. Additionally, seven of the nine nests with N1 < 9.0 were further north in the Beaverhead Valley. This trend may be due to different precipitation regimes from the Centennial Valley northward (and generally downward in elevation) and apparently was analogous to the prey abundance gradient that I observed.

CONCLUSIONS AND MANAGEMENT IMPLICATIONS

Ferruginous Hawks are successfully reproducing on the public lands of southwestern Montana. Reproductive success during 1992 was high and hawks chose a variety of substrates upon which to nest. With the addition of the 15 previously unknown active territories discovered during this study to the 97 active territories described by Myers (1987), the five or six active territories on the Blacktail Wildlife Management Area (Dennis Flath, pers. comm.) and the 15 active sites in the Centennial Valley (Restani 1989), I

THE UNIVERSITY OF CHICAGO PRESS

CHICAGO, ILLINOIS 60607-7090

1999

ALL RIGHTS RESERVED

PRINTED IN THE UNITED STATES OF AMERICA

LIBRARY OF CONGRESS

98-000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

0000000000

estimate that the breeding population of Ferruginous Hawks in Beaverhead and Madison counties comprise a minimum of 132 pairs. This estimate may be conservative for additional segments of public and private land have yet to be surveyed. These areas include the area between Sweetwater Creek and the Blacktail Wildlife Management Area which contains the Robb Ledford Wildlife Management Area where eight nests have been located [at least two active territories (E. C. Atkinson and Dennis Flath, unpub. data)].

Throughout the study area, active nests appeared to be clumped in their distribution with areas containing decadent nests situated between these active "complexes". Vegetative cover appeared to be similar between the areas of high activity and the unoccupied areas similar to the situation described by Fitzner et al. (1977) in southeastern Washington and Ann Black (pers. comm.) in Phillips County, Montana. I believe that the variables leading to these observations warrant further study. Ultimately, such factors as high site-fidelity, complexes containing related individuals, differential prey populations, grazing practices and the subsequent changes in vegetation associated with different intensities of grazing, in addition to human disturbance may all play a role in determining what areas in southwestern Montana are occupied by breeding Ferruginous Hawks.

The population of Ferruginous Hawks in southwest Montana is one of the most productive groups studied to date. Additionally, these breeding pairs show very high nesting density. Both of these factors lend make southwest

Montana an ideal area for further study, especially long-term projects.

I suggest the following for further work on the Ferruginous Hawk population of southwestern Montana.

A. Management of nest sites.

1. Minimize disturbance. Several researchers have highlighted the vulnerability of Ferruginous Hawks to human disturbance (Olendorff 1973, Ensign 1983), an observation reiterated by the fact that I believe 3 of the 5 recorded nest failures in this study were directly and indirectly human caused. Therefore, I propose direct contact or indirect information for ranchers, seismic crews, prospectors, and others using occupied Ferruginous Hawk habitat during the breeding season. Periods of high susceptibility include, but are not limited to, the period of egg-laying and incubation (mid April to early June) and the period of late nestling stage (early to late July) (Myers 1987, Lewis Myers, pers. comm.). Persons should be advised to maintain a distance of at least 450 m from active hawk nests to avoid flushing the bird (Ensign 1983) and should keep their activities in the territory to a minimum. In areas with active ground nests or easily accessed nests on outcrops, a delay in cattle grazing may allow hawks the opportunity to finish

ORIGINAL ARTICLES

THE EFFECT OF VITAMIN C ON THE METABOLISM OF VITAMIN A

JOHN H. HARRIS, M.D.

Department of Medicine, University of California, Los Angeles, California

Received for publication, February 1, 1935; accepted for publication, March 1, 1935.

From the Department of Medicine, University of California, Los Angeles, California.

Reprints: Dr. John H. Harris, 1000 Wilshire Blvd., Los Angeles 24, California.

Copyright, 1935, by American Medical Association

0003-6819/35/0000-0000\$02.00/0

THE EFFECT OF VITAMIN C ON THE METABOLISM OF VITAMIN A

JOHN H. HARRIS, M.D.

Department of Medicine, University of California, Los Angeles, California

Received for publication, February 1, 1935; accepted for publication, March 1, 1935.

From the Department of Medicine, University of California, Los Angeles, California.

Reprints: Dr. John H. Harris, 1000 Wilshire Blvd., Los Angeles 24, California.

Copyright, 1935, by American Medical Association

0003-6819/35/0000-0000\$02.00/0

THE EFFECT OF VITAMIN C ON THE METABOLISM OF VITAMIN A

JOHN H. HARRIS, M.D.

Department of Medicine, University of California, Los Angeles, California

Received for publication, February 1, 1935; accepted for publication, March 1, 1935.

From the Department of Medicine, University of California, Los Angeles, California.

Reprints: Dr. John H. Harris, 1000 Wilshire Blvd., Los Angeles 24, California.

Copyright, 1935, by American Medical Association

0003-6819/35/0000-0000\$02.00/0

THE EFFECT OF VITAMIN C ON THE METABOLISM OF VITAMIN A

JOHN H. HARRIS, M.D.

incubation. Additionally, every effort should be made to place salt licks outside of active Ferruginous Hawk territories and water tanks.

2. Minimize power pole nesting. I observed one renesting attempt by a Ferruginous Hawk pair after their nest had been removed from a power pole. This pair attempted to reuse the same pole which ultimately resulted in loss of the nest during a storm. In areas where hawks attempt to nest on power poles (i.e. the Monida area) deterrents should be erected upon poles to discourage the use of this substrate by Ferruginous Hawks for nesting or suitable alternate structures should be erected nearby.

B. Research.

1. Assess the impacts of grazing. A long term monitoring project on a selected subset of Ferruginous Hawk nests and how the occupancy, nest success, and productivity relate to current and historical grazing practices would be very informative. It has been inferred that grazing can positively influence the foraging of Ferruginous Hawks by removing hiding cover for prey in addition to increasing the densities of some species of small mammals (Kochert et al. 1978, Wakely 1978, Schmutz 1987b). However, over the long term, grazing may also increase the

amount of woody vegetation in an area, a situation that is not conducive to Ferruginous Hawk foraging (Lewis Myers, pers. comm.). Locations on the Dillon Resource Area that may be appropriate for such a project are the Sage Creek area where Ferruginous Hawks are concentrated and the Matador Cattle Company grazes cattle on public land (Jim Roscoe, pers. comm.) and the Frying Pan Basin area.

2. Prey populations should be assessed. I observed what appeared to be a gradient of prey abundance, especially ground squirrels, from the Centennial Valley (high abundance) north to the apparently drier areas west of Dillon (low abundance). Does this apparent gradient correspond with a gradient of Ferruginous Hawk nesting density, nest success, and productivity?

ACKNOWLEDGEMENTS

I would like to thank Geoff FitzGerald for excellent and tireless assistance in the field, especially on those days we spent racing lightning storms. Thanks to Jim Roscoe of the Dillon Resource Area for very worthwhile logistical support throughout the study and to Dave Genter (Montana Natural Heritage Program) for giving me the opportunity to return to Montana in addition to critical reviewing manuscripts and supporting my endeavors. Marco Restani introduced me to the Ferruginous Hawks of the Centennial

Valley and has shared information with the Montana Natural Heritage Program and Jim Reichel (MNHP) reviewed a draft of this report. Sarge Hoem (Montana Dept. of Fish, Wildlife and Parks and Lighthawk, The Environmental Airforce) donated his time to fly our aerial survey. Thanks to the folks at Red Rock Lakes National Wildlife Refuge (USFWS) for providing a bunkhouse for our use. Pam Harrington (MNHP) spent several days identifying the plant communities surrounding nests. Finally, I want to thank the private landowners of southwest Montana who graciously allowed access to and through their land; without their cooperation such a study would suffer greatly.

LITERATURE CITED

- Bechard, M. J. 1981. Historical nest records for the ferruginous hawk in Manitoba. Can. Field-Natur. 95:467-469.
- DeVelice, R. L. 1991. MTNHP site and community survey manual. version 91B. Montana Natural Heritage Program, Helena, MT. 24 pp.
- Ensign, J. T. 1983. Nest site selection, productivity, and food habits of ferruginous hawks in southeastern Montana. MS. thesis. Montana State University, Bozeman. 83 pp.
- Evans, D. L. 1982. Status reports on twelve raptors. Special Scientific Report--Wildlife No. 238. U.S. Fish and Wildlife Service, Washington, D.C. 70 pp.
- Fitzner, R. E., D. Berry, L. L. Boyd, and C. A. Rieck. 1977. Nesting of ferruginous hawks (Buteo regalis) in Washington, 1974-1975. Condor 79:245-249.
- Gilmer, D. S. and R. E. Stewart. 1983. Ferruginous hawk populations and habitat use in North Dakota. J. Wildlife Management 47:146-157.
- Harmata, A. R. 1991. Impacts of oil and gas development on raptors associated with Kevin Rim, Montana. Unpubl. report. Montana State University, Bozeman. 97 pp.
- Houston, C. S. and M. J. Bechard. 1984. Decline of the ferruginous hawk in Saskatchewan. Amer. Birds 38:166-170.

THE JOURNAL OF THE ROYAL ANTHROPOLOGICAL INSTITUTE

OF GREAT BRITAIN AND IRELAND

1906

THE JOURNAL OF THE ROYAL ANTHROPOLOGICAL INSTITUTE

OF GREAT BRITAIN AND IRELAND

1906

1906

THE JOURNAL OF THE ROYAL ANTHROPOLOGICAL INSTITUTE

OF GREAT BRITAIN AND IRELAND

1906

THE JOURNAL OF THE ROYAL ANTHROPOLOGICAL INSTITUTE

OF GREAT BRITAIN AND IRELAND

1906

THE JOURNAL OF THE ROYAL ANTHROPOLOGICAL INSTITUTE

OF GREAT BRITAIN AND IRELAND

1906

1906

THE JOURNAL OF THE ROYAL ANTHROPOLOGICAL INSTITUTE

OF GREAT BRITAIN AND IRELAND

1906

THE JOURNAL OF THE ROYAL ANTHROPOLOGICAL INSTITUTE

OF GREAT BRITAIN AND IRELAND

1906

- Johnsgard, P. A. 1990. Hawks, eagles, and falcons of North America. Smithsonian Institution Press, Washington, D.C. 403 pp.
- Kochert, M. N., B. A. Millsap, and K. Steenhof. 1988. Effects of livestock grazing on raptors with emphasis on the southwest. pp 325-334 in B. G. Pendleton (ed.), Proc. of the Southwest Raptor Management Symposium and Workshop. National Wildlife Federation Scientific and Technical Series No. 11.
- Kuchler, A. W. 1964. Potential Natural Vegetation of the Conterminous United States. American Geographical Society, Special Publication 36. 156 pp.
- Ludwig, J. A. and J. F. Reynolds. 1988. Statistical ecology: a primer on methods and computing. Wiley-Interscience Publication. New York, New York.
- Myers, L. H. 1987. Nesting ecology of ferruginous hawks in S.W. Montana. Paper presented at the Montana Nongame Symposium, Kalispell, MT. February 11, 1987. 14 pp.
- Murphy, J. R. 1978. Management considerations for some western hawks. Trans. N. Amer. Wildl. Natur. Resour. Conf. 43:241-251.
- Oakleaf, R. J. 1985. Ferruginous hawk: Wyoming. Paper given at the Raptor research Foundation Meeting, Sacramento, CA. 7 pp.

- Olendorff, R. R. 1973. Ecology of the nesting birds of prey of northeastern Colorado. U. S. Int. Biol. Prog., Grassland Biome, Fort Collins, CO. Tech. Rep. No. 211. 233 pp.
- Powers, L. R. and T. H. Craig. 1976. Status of nesting ferruginous hawks in the Little Lost river Valley and vicinity, southeastern Idaho. Murrelet 57:46-47.
- Restani, M. 1989. Resource partitioning among three species of hawks in the Centennial Valley, MT. MS. thesis. Montana State University, Bozeman. 86 pp.
- Restani, M. 1991. Resource partitioning among three Buteo species in the Centennial Valley, Montana. Condor 93:1007-1010.
- Schmutz, J. K. 1984. Ferruginous hawk and Swainson's hawk abundance and distribution in relation to land use in southeastern Alberta. J. Wildl. Manage. 40:438-440.
- Schmutz, J. K. 1987a. Estimate of population size and probable causes of population stability in ferruginous hawks in southeastern Alberta. Unpubl. Rep. Univ. Saskatchewan, Saskatoon. 45 pp.
- Schmutz, J. K. 1987b. The effect of agriculture on ferruginous hawks and Swainson's hawks. J. Range Management 40:438-440.
- Schmutz, J. K. and R. W. Fyfe. 1987. Migration and mortality of Alberta ferruginous hawks. Condor 89:169-174.

- Schmutz, J. K., R. W. Fyfe, D. A. Moore, and A. R. Smith.
1984. Artificial nests for ferruginous and Swainson's
hawks. J. Wildl. Manage. 48:1009-1013.
- Smith, D. G. and J. R. Murphy. 1982. Nest site selection
in raptor communities of the eastern Great Basin.
Great Basin Natur. 42:395-404.
- Wittenhagen, K. W. 1991. 1991 progress report on the
ferruginous hawk in southeastern Montana. Unpubl. Rep.
U.S. Bur. Land Manage., Miles City, MT. 24 pp.
- Woffinden, N. D. 1975. Ecology of the ferruginous hawk
(Buteo regalis) in central Utah: population dynamics
ad nest site selection. MS. thesis. Brigham Young
Univ., Provo, Utah. 102 pp.
- Woffinden, N. D. and J. R. Murphy. 1989. Decline of a
ferruginous hawk population: A 20-year summary. J.
Wildl. Manage. 53:1127-1132.
- Ure, J., P. Briggs, and S. W. Hoffman. 1991. Petition to
list as endangered the ferruginous hawk (Buteo
regalis), as provided by the Endangered Species Act of
1973, as amended in 1982. Ferruginous Hawk Project,
Salt Lake City, Utah. 9 pp.
- U.S. Fish and Wildlife Service. 1992. Endangered and
threatened wildlife and plants; notice of finding on
petition to list the ferruginous hawk. Federal
Register 57(161):37507-37513. August 19, 1992.

THE UNIVERSITY OF CHICAGO

DEPARTMENT OF THE HISTORY OF ARTS

ARTS AND SCIENCES CAMPUS

5408 S. UNIVERSITY AVE.

CHICAGO, ILL. 60637

TEL: 773-936-5000

FAX: 773-936-5001

WWW.CHICAGO.EDU

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

CHICAGO, ILL. 60637

Zar, J. H. 1974. Biostatistical Analysis. Prentice-Hall, Inc., Englewood Cliffs, New Jersey.





APPENDIX A

Areas surveyed for Ferruginous Hawks on the Dillon Resource
Area in southwest Montana (1992).




Armstead Area (1 inch = 1 mile)


























APPENDIX B

Bureau of Land Management "Raptor Nest Inventory" Form.

Nest No. _____

Species

Date		Notes
Adults Occupy Territory (Y,N)		
Nest Active (Y,N)		
Incubating (Y,N)		
Catch Size		
Hatched (Y,N)		
No. Nestlings		
Fledge Date		
Fledge No.		
Initials		

APPENDIX C

Completed ECODATA forms and methodology for vegetation
surrounding 15 Ferruginous Hawk nests in southwest Montana
(1992).

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

PLOT NO. F-01 MO 07 DAY 30 YEAR 92 MANUAL — UNITS X ft — m
 EXAMINER(S) Tom Harrington Eric H. Kinson
 PNC Artemisia tridentata / Agropyron CT —
 SITE Patagonia Nat. Monument STATE MT COUNTY BEAV
 PURP G PREC S QUADNAME BOND QUADCODE 4511236
6S T/9W R/30S/1W 4S/5W 4/4 COMMUNITY SIZE (acres) —
 PLOT TYPES C PLTRL 35.8 PLOT W — SURVEY AYL
 PHOTOS —
 DIRECTIONS --> —

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: 10S + 1G + 30R + 20L + 20W + 20M + 10BV + 10O = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season) --> lichen

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H20 — Dist. from H20 —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
5408 S. DICKINSON DRIVE
CHICAGO, ILL. 60637
TEL: 773-835-3100
FAX: 773-835-3101
WWW: WWW.CHEM.UCHICAGO.EDU

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
5408 S. DICKINSON DRIVE
CHICAGO, ILL. 60637
TEL: 773-835-3100
FAX: 773-835-3101
WWW: WWW.CHEM.UCHICAGO.EDU

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
5408 S. DICKINSON DRIVE
CHICAGO, ILL. 60637
TEL: 773-835-3100
FAX: 773-835-3101
WWW: WWW.CHEM.UCHICAGO.EDU

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
5408 S. DICKINSON DRIVE
CHICAGO, ILL. 60637
TEL: 773-835-3100
FAX: 773-835-3101
WWW: WWW.CHEM.UCHICAGO.EDU

PltIDL — C-02

BRYO/LICH Tot Cv 20 / 10
Sel



COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

PLOT NO. F-02 MO 07 DAY 30 YEAR 92 MANUAL — UNITS Xft —m
 EXAMINER(S) Pam Harrington Eric Atkinson EOCODE — *—
 PNC Rhus typhina / Parthenocarpum CT —
 SITE Transmissa L. Port STATE MT COUNTY BEAV
 PURP 6 PREC 5 QUADNAME BOND QUADCODE 4511236
6S T/9W R/20S/5E 4S/NE4/4 COMMUNITY SIZE (acres) —
 PLOT TYPES C PLTRL 35.8 PLOT W — SURVEY AYL
 PHOTOS —
 DIRECTIONS --> —

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: 20S+40G+20R+10L+—W+—M+10BV+—O— = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)--> —

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H2O — Dist. from H2O —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

—
—
—
—

OCULAR PLANT SPECIES DATA

C-04
PltIDL

PLOT NO. 6-12 NO. SPECIES 16 PNC RHUTRI / AGRESIE

TREES	Tot Cv <u>—</u>	Mht <u>—</u>		FRBS	Tot Cv <u>20</u>	Mht <u>2'</u>	
	Tal Cv <u>—</u>	Med Cv <u>—</u>			Med Cv <u>—</u>	Low Cv <u>—</u>	
	Low Cv <u>—</u>	Grd Cv <u>—</u>	CC		Grd Cv <u>20</u>		CC

T 1				F 1	<u>Astragalus drummondii</u>	<u>ASTDR</u>	<u>1</u>
T 2				F 2	<u>Astragalus</u>	<u>spp</u>	<u>10</u>
T 3				F 3	<u>Phlox Chandii</u>	<u>PHLHON</u>	<u>20</u>
T 4				F 4	<u>Sphaerocelia coccinea</u>	<u>SPHCS</u>	<u>1</u>
T 5				F 5	<u>Antennaria parviflora</u>	<u>ANTPAR</u>	<u>1</u>

SHRBS	Tot Cv <u>50</u>	Mht <u>25'</u>		F 6			
	Tal Cv <u>—</u>	Med Cv <u>20</u>		F 7			
	Low Cv <u>10</u>	Grd Cv <u>20</u>	CC	F 8			

S 1	<u>Chrysanthemum navesius</u>	<u>CHRMN</u>	<u>20</u>	F 10			
S 2	<u>Artemisia frigida</u>	<u>ARTFR</u>	<u>20</u>	F 11			
S 3	<u>Gutierrezia serotina</u>	<u>GUTSER</u>	<u>10</u>	F 12			
S 4	<u>Purshia polyacantha</u>	<u>PULPOL</u>	<u>20</u>	F 13			
S 5	<u>Eriogonum microthecum</u>	<u>ERIMIC</u>	<u>1</u>	F 14			
S 6	<u>Artemisia tridentata</u>	<u>ARTTRI</u>	<u>10</u>	F 15			
S 7							
S 8							
S 9							
S 10							
S 11							
S 12							

GRAM	Tot Cv <u>20</u>	Mht <u>1'</u>					
	Med Cv <u>—</u>	Low Cv <u>20</u>					
	Grd Cv <u>20</u>		CC				

G 1	<u>Bouteloua gracilis</u>	<u>BOUTGR</u>	<u>20</u>				
G 2	<u>Carex filifolia</u>	<u>CAREFI</u>	<u>5</u>				
G 3	<u>Poa sandbergii</u>	<u>POESAN</u>	<u>10</u>				
G 4	<u>Bromus tectorum</u>	<u>BROTEC</u>	<u>1</u>				
G 5	<u>Agropyron spicatum</u>	<u>AGSPIC</u>	<u>20</u>				
G 6							
G 7							
G 8							
G 9							
G 10							
G 11							
G 12							

FERN Tot Cv — Mht — Med Cv —
Low Cv — Grd Cv —
BRYO/LICH Tot Cv — / I

COMMENTS (EODATA) -->

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

PLOT NO. F-03 MOD 07 DAY 30 YEAR 92 MANUAL UNITS X ft m
 EXAMINER(S) Pam Harrington Eric Atkinson EOCODE *
 PNC Artemesia tridentata Agropyron spicatum CT
 SITE Trivina Pn North STATE MT COUNTY BEAV
 PURP W PREC S QUADNAME BOND QUADCODE 4511236
65 T/9 W R/17 S/SW 4S/SE 4/4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35.8 PLOT W SURVEY AYL
 PHOTOS
 DIRECTIONS -->

CONSERVATION RANKING

COND Com:
 VIAB Com:
 DEFN Com:
 RANK Com:
 MGMT:
 PROT:

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT
 SOIL UNIT SOIL TAXON
 PM LANDFORM PLOT POS SLP SHAPE ASP
 SLOPE % ELEVATION EROS POTENT EROS TYPE
 HORIZON ANGLE (%): N E S W IFSLP IFVAL
 SPFE
 GROUND COVER: 30 S+ 10 G+ 30 R+ 20 L+ 1 W+ M+ 10 BV+ O = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)-->

RIPARIAN FEATURES: Channel Width Channel Entrench
 Surface Water Ht. Abv. H20 Dist. from H20

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

PltIDL - C-06

TREES	Tot	Cv	—	MHt	—		FRBS	Tot	Cv	<u>1</u>	MHt	<u>.4</u>		
	Tal	Cv	—	Med	Cv	—			Med	Cv	—	Low	Cv	<u>1</u>
	Low	Cv	—	Grd	Cv	—	CC		Grd	Cv	<u>1</u>		CC	

SHRBS	Tot Cv <u>40</u>	Mht <u>1.5'</u>		F 7		
	Tal Cv <u>-</u>	Med Cv <u>20</u>		F 8		
	Low Cv <u>20</u>	Grd Cv <u>10</u>	CC	F 9		

GRAM	Tot Cv <u>30</u>	Mht <u>1'</u>				
	Med Cv <u>3</u>	Low Cv <u>30</u>				
	Grd Cv <u>1</u>		CC			

G 1	<i>Pseudotsuga gracilis</i>	/ BOULE	10			
G 2	<i>Pop. sandbergii</i>	/ PNAS	1			
G 3	<i>Agropyron spicatum</i>	/ AGRSP	22			
G 4	<i>Olyzopsis hymenoides</i>	/ OLYHYP	1			
G 5						
G 6						
G 7						
G 8						
G 9						
G 10						
G 11						
G 12						

FERN Tot Cv	Mht	Med Cv	
	Low Cv	Grd Cv	
BRYO/LICH	Tot Cv	10	

COMMENTS (EODATA) -->

COMMUNITY SURVEY FORM

MTNHP
5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

MANUAL — UNITS X ft — m
 PLOT NO. F-04 MO 17 DAY 30 YEAR 92 EOCODE — *
 EXAMINER(S) Pam Harrington Eric Atkinson
 PNC Artemisia tridentata / Agropyron spicatum CT —
 SITE Burnshot STATE MT COUNTY BEAV
 PURP W PREC S QUADNAME ARGENTA QUADCODE 4511237
6S T/9 W/18 S/5 W4S/5E 4/4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35.8 PLOT W — SURVEY AVL
 PHOTOS —
 DIRECTIONS -->

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: 10 S+ 20 G+ 30 R+ 10 L+ 10 W+ — M+ 10 BV+ 10 O = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)--> —

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H20 — Dist. from H20 —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

PltIDL — C-08

COMMENTS (EODATA) --> _____

1. Introduction	
2. Methodology	
3. Results	
4. Discussion	
5. Conclusion	
6. References	
7. Appendix	
8. Acknowledgements	
9. Contact Information	
10. Summary	
11. Bibliography	
12. Glossary	
13. Index	
14. Table of Contents	
15. List of Figures	
16. List of Tables	
17. List of Equations	
18. List of Symbols	
19. List of Abbreviations	
20. List of Acronyms	
21. List of Initials	
22. List of References	
23. List of Figures	
24. List of Tables	
25. List of Equations	
26. List of Symbols	
27. List of Abbreviations	
28. List of Acronyms	
29. List of Initials	
30. List of References	
31. List of Figures	
32. List of Tables	
33. List of Equations	
34. List of Symbols	
35. List of Abbreviations	
36. List of Acronyms	
37. List of Initials	
38. List of References	
39. List of Figures	
40. List of Tables	
41. List of Equations	
42. List of Symbols	
43. List of Abbreviations	
44. List of Acronyms	
45. List of Initials	
46. List of References	
47. List of Figures	
48. List of Tables	
49. List of Equations	
50. List of Symbols	
51. List of Abbreviations	
52. List of Acronyms	
53. List of Initials	
54. List of References	
55. List of Figures	
56. List of Tables	
57. List of Equations	
58. List of Symbols	
59. List of Abbreviations	
60. List of Acronyms	
61. List of Initials	
62. List of References	
63. List of Figures	
64. List of Tables	
65. List of Equations	
66. List of Symbols	
67. List of Abbreviations	
68. List of Acronyms	
69. List of Initials	
70. List of References	
71. List of Figures	
72. List of Tables	
73. List of Equations	
74. List of Symbols	
75. List of Abbreviations	
76. List of Acronyms	
77. List of Initials	
78. List of References	
79. List of Figures	
80. List of Tables	
81. List of Equations	
82. List of Symbols	
83. List of Abbreviations	
84. List of Acronyms	
85. List of Initials	
86. List of References	
87. List of Figures	
88. List of Tables	
89. List of Equations	
90. List of Symbols	
91. List of Abbreviations	
92. List of Acronyms	
93. List of Initials	
94. List of References	
95. List of Figures	
96. List of Tables	
97. List of Equations	
98. List of Symbols	
99. List of Abbreviations	
100. List of Acronyms	
101. List of Initials	
102. List of References	
103. List of Figures	
104. List of Tables	
105. List of Equations	
106. List of Symbols	
107. List of Abbreviations	
108. List of Acronyms	
109. List of Initials	
110. List of References	
111. List of Figures	
112. List of Tables	
113. List of Equations	
114. List of Symbols	
115. List of Abbreviations	
116. List of Acronyms	
117. List of Initials	
118. List of References	
119. List of Figures	
120. List of Tables	
121. List of Equations	
122. List of Symbols	
123. List of Abbreviations	
124. List of Acronyms	
125. List of Initials	
126. List of References	
127. List of Figures	
128. List of Tables	
129. List of Equations	
130. List of Symbols	
131. List of Abbreviations	
132. List of Acronyms	
133. List of Initials	
134. List of References	
135. List of Figures	
136. List of Tables	
137. List of Equations	
138. List of Symbols	
139. List of Abbreviations	
140. List of Acronyms	
141. List of Initials	
142. List of References	
143. List of Figures	
144. List of Tables	
145. List of Equations	
146. List of Symbols	
147. List of Abbreviations	
148. List of Acronyms	
149. List of Initials	
150. List of References	
151. List of Figures	
152. List of Tables	
153. List of Equations	
154. List of Symbols	
155. List of Abbreviations	
156. List of Acronyms	
157. List of Initials	
158. List of References	
159. List of Figures	
160. List of Tables	
161. List of Equations	
162. List of Symbols	
163. List of Abbreviations	
164. List of Acronyms	
165. List of Initials	
166. List of References	
167. List of Figures	
168. List of Tables	
169. List of Equations	
170. List of Symbols	
171. List of Abbreviations	
172. List of Acronyms	
173. List of Initials	
174. List of References	
175. List of Figures	
176. List of Tables	
177. List of Equations	
178. List of Symbols	
179. List of Abbreviations	
180. List of Acronyms	
181. List of Initials	
182. List of References	
183. List of Figures	
184. List of Tables	
185. List of Equations	
186. List of Symbols	
187. List of Abbreviations	
188. List of Acronyms	
189. List of Initials	
190. List of References	
191. List of Figures	
192. List of Tables	
193. List of Equations	
194. List of Symbols	
195. List of Abbreviations	
196. List of Acronyms	
197. List of Initials	
198. List of References	
199. List of Figures	
200. List of Tables	
201. List of Equations	
202. List of Symbols	
203. List of Abbreviations	
204. List of Acronyms	
205. List of Initials	
206. List of References	
207. List of Figures	
208. List of Tables	
209. List of Equations	
210. List of Symbols	
211. List of Abbreviations	
212. List of Acronyms	
213. List of Initials	
214. List of References	
215. List of Figures	
216. List of Tables	
217. List of Equations	
218. List of Symbols	
219. List of Abbreviations	
220. List of Acronyms	
221. List of Initials	
222. List of References	
223. List of Figures	
224. List of Tables	
225. List of Equations	
226. List of Symbols	
227. List of Abbreviations	
228. List of Acronyms	
229. List of Initials	
230. List of References	
231. List of Figures	
232. List of Tables	
233. List of Equations	
234. List of Symbols	
235. List of Abbreviations	
236. List of Acronyms	
237. List of Initials	
238. List of References	
239. List of Figures	
240. List of Tables	
241. List of Equations	
242. List of Symbols	
243. List of Abbreviations	
244. List of Acronyms	
245. List of Initials	
246. List of References	
247. List of Figures	
248. List of Tables	
249. List of Equations	
250. List of Symbols	
251. List of Abbreviations	
252. List of Acronyms	
253. List of Initials	
254. List of References	
255. List of Figures	
256. List of Tables	
257. List of Equations	
258. List of Symbols	
259. List of Abbreviations	
260. List of Acronyms	
261. List of Initials	
262. List of References	
263. List of Figures	
264. List of Tables	
265. List of Equations	
266. List of Symbols	
267. List of Abbreviations	
268. List of Acronyms	
269. List of Initials	
270. List of References	
271. List of Figures	
272. List of Tables	
273. List of Equations	
274. List of Symbols	
275. List of Abbreviations	
276. List of Acronyms	
277. List of Initials	
278. List of References	
279. List of Figures	
280. List of Tables	
281. List of Equations	
282. List of Symbols	
283. List of Abbreviations	
284. List of Acronyms	
285. List of Initials	
286. List of References	
287. List of Figures	
288. List of Tables	
289. List of Equations	
290. List of Symbols	
291. List of Abbreviations	
292. List of Acronyms	
293. List of Initials	
294. List of References	
295. List of Figures	
296. List of Tables	
297. List of Equations	
298. List of Symbols	
299. List of Abbreviations	
300. List of Acronyms	
301. List of Initials	
302. List of References	
303. List of Figures	
304. List of Tables	
305. List of Equations	
306. List of Symbols	
307. List of Abbreviations	
308. List of Acronyms	
309. List of Initials	
310. List of References	
311. List of Figures	
312. List of Tables	
313. List of Equations	
314. List of Symbols	
315. List of Abbreviations	
316. List of Acronyms	
317. List of Initials	
318. List of References	
319. List of Figures	
320. List of Tables	
321. List of Equations	
322. List of Symbols	
323. List of Abbreviations	
324. List of Acronyms	
325. List of Initials	
326. List of References	
327. List of Figures	
328. List of Tables	
329. List of Equations	
330. List of Symbols	
331. List of Abbreviations	
332. List of Acronyms	
333. List of Initials	
334. List of References	
335. List of Figures	
336. List of Tables	
337. List of Equations	
338. List of Symbols	
339. List of Abbreviations	
340. List of Acronyms	
341. List of Initials	
342. List of References	
343. List of Figures	
344. List of Tables	
345. List of Equations	
346. List of Symbols	
347. List of Abbreviations	
348. List of Acronyms	
349. List of Initials	
350. List of References	
351. List of Figures	
352. List of Tables	
353. List of Equations	
354. List of Symbols	
355. List of Abbreviations	
356. List of Acronyms	
357. List of Initials	
358. List of References	
359. List of Figures	
360. List of Tables	
361. List of Equations	
362. List of Symbols	
363. List of Abbreviations	
364. List of Acronyms	
365. List of Initials	
366. List of References	
367. List of Figures	
368. List of Tables	
369. List of Equations	
370. List of Symbols	
371. List of Abbreviations	
372. List of Acronyms	
373. List of Initials	
374. List of References	
375. List of Figures	
376. List of Tables	
377. List of Equations	
378. List of Symbols	
379. List of Abbreviations	
380. List of Acronyms	
381. List of Initials	
382. List of References	
383. List of Figures	
384. List of Tables	
385. List of Equations	
386. List of Symbols	
387. List of Abbreviations	
388. List of Acronyms	
389. List of Initials	
390. List of References	
391. List of Figures	
392. List of Tables	
393. List of Equations	
394. List of Symbols	
395. List of Abbreviations	
396. List of Acronyms	
397. List of Initials	
398. List of References	
399. List of Figures	
400. List of Tables	
401. List of Equations	
402. List of Symbols	
403. List of Abbreviations	
404. List of Acronyms	
405. List of Initials	
406. List of References	
407. List of Figures	
408. List of Tables	
409. List of Equations	
410. List of Symbols	
411. List of Abbreviations	
412. List of Acronyms	
413. List of Initials	
414. List of References	
415. List of Figures	
416. List of Tables	
417. List of Equations	
418. List of Symbols	
419. List of Abbreviations	
420. List of Acronyms	
421. List of Initials	
422. List of References	
423. List of Figures	
424. List of Tables	
425. List of Equations	
426. List of Symbols	
427. List of Abbreviations	
428. List of Acronyms	
429. List of Initials	
430. List of References	
431. List of Figures	
432. List of Tables	
433. List of Equations	
434. List of Symbols	
435. List of Abbreviations	
436. List of Acronyms	
437. List of Initials	
438. List of References	
439. List of Figures	
440. List of Tables	
441. List of Equations	
442. List of Symbols	
443. List of Abbreviations	
444. List of Acronyms	
445. List of Initials	
446. List of References	
447. List of Figures	
448. List of Tables	
449. List of Equations	
450. List of Symbols	
451. List of Abbreviations	
452. List of Acronyms	
453. List of Initials	
454. List of References	
455. List of Figures	
456. List of Tables	
457. List of Equations	
458. List of Symbols	
459. List of Abbreviations	
460. List of Acronyms	
461. List of Initials	
462. List of References	
463. List of Figures	
464. List of Tables	
465. List of Equations	
466. List of Symbols	
467. List of Abbreviations	
468. List of Acronyms	
469. List of Initials	
470. List of References	
471. List of Figures	
472. List of Tables	
473. List of Equations	
474. List of Symbols	
475. List of Abbreviations	
476. List of Acronyms	
477. List of Initials	
478. List of References	
479. List of Figures	
480. List of Tables	
481. List of Equations	
482. List of Symbols	
483. List of Abbreviations	
484. List of Acronyms	
485. List of Initials	
486. List of References	
487. List of Figures	
488. List of Tables	
489. List of Equations	
490. List of Symbols	
491. List of Abbreviations	
492. List of Acronyms	
493. List of Initials	
494. List of References	
495. List of Figures	
496. List of Tables	
497. List of Equations	
498. List of Symbols	
499. List of Abbreviations	
500. List of Acronyms	
501. List of Initials	
502. List of References	
503. List of Figures	
504. List of Tables	
505. List of Equations	
506. List of Symbols	
507. List of Abbreviations	
508. List of Acronyms	
509. List of Initials	
510. List of References	
511. List of Figures	
512. List of Tables	
513. List of Equations	
514. List of Symbols	
515. List of Abbreviations	
516. List of Acronyms	
517. List of Initials	
518. List of References	
519. List of Figures	
520. List of Tables	
521. List of Equations	
522. List of Symbols	
523. List of Abbreviations	
524. List of Acronyms	
525. List of Initials	
526. List of References	
527. List of Figures	
528. List of Tables	
529. List of Equations	
530. List of Symbols	
531. List of Abbreviations	
532. List of Acronyms	
533. List of Initials	
534. List of References	
535. List of Figures	
536. List of Tables	
537. List of Equations	
538. List of Symbols	
539. List of Abbreviations	
540. List of Acronyms	
541. List of Initials	
542. List of References	
543. List of Figures	
544. List of Tables	
545. List of Equations	
546. List of Symbols	
547. List of Abbreviations	
548. List of Acronyms	
549. List of Initials	
550. List of References	
551. List of Figures	
552. List of Tables	
553. List of Equations	
554. List of Symbols	
555. List of Abbreviations	
556. List of Acronyms	
557. List of Initials	
558. List of References	
559. List of Figures	
560. List of Tables	
561. List of Equations	
562. List of Symbols	
563. List of Abbreviations	
564. List of Acronyms	
565. List of Initials	
566. List of References	
567. List of Figures	
568. List of Tables	
569. List of Equations	
570. List of Symbols	
571. List of Abbreviations	
572. List of Acronyms	
573. List of Initials	
574. List of References	
575. List of Figures	
576. List of Tables	
577. List of Equations	
578. List of Symbols	
579. List of Abbreviations	
580. List of Acronyms	
581. List of Initials	
582. List of References	
583. List of Figures	
584. List of Tables	
585. List of Equations	
586. List of Symbols	
587. List of Abbreviations	
588. List of Acronyms	
589. List of Initials	
590. List of References	
591. List of Figures	
592. List of Tables	
593. List of Equations	
594. List of Symbols	
595. List of Abbreviations	
596. List of Acronyms	
597. List of Initials	
598. List of References	
599. List of Figures	
600. List of Tables	
601. List of Equations	
602. List of Symbols	
603. List of Abbreviations	
604. List of Acronyms	
605. List of Initials	
606. List of References	
607. List of Figures	
608. List of Tables	
609. List of Equations	
610. List of Symbols	
611. List of Abbreviations	
612. List of Acronyms	
613. List of Initials	
614. List of References	
615. List of Figures	
616. List of Tables	
617. List of Equations	
618. List of Symbols	
619. List of Abbreviations	
620. List of Acronyms	
621. List of Initials	
622. List of References	
623. List of Figures	
624. List of Tables	
625. List of Equations	
626. List of Symbols	
627. List of Abbreviations	
628. List of Acronyms	
629. List of Initials	
630. List of References	
631. List of Figures	
632. List of Tables	
633. List of Equations	
634. List of Symbols	

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

PLOT NO. F-15 MO 07 DAY 30 YEAR 92 EOCODE *
 MANUAL UNITS ✓ ft m
 EXAMINER(S) Pan Harrington Eric Atkinson
 PNC Artemisia tridentata / Acrocyrtos spicatum CT
 SITE Yukon-Alt. 17034 STATE MT COUNTY BEAV
 PURP G PREC S QUADNAME BOND QUADCODE 45 11236
6 S T / 4 W R / 8 S / NE 4 S / SE 4 / 4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35.8 PLOT W SURVEY Ayl
 PHOTOS
 DIRECTIONS -->

CONSERVATION RANKING

COND Com:
 VIAB Com:
 DEFN Com:
 RANK Com:
 MGMT:
 PROT:

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT
 SOIL UNIT SOIL TAXON
 PM LANDFORM PLOT POS SLP SHAPE ASP
 SLOPE % ELEVATION EROS POTENT EROS TYPE
 HORIZON ANGLE (%): N E S W IFSLP IFVAL
 SPFE
 GROUND COVER: 10 S+20 G+30 R+10 L+10 W+— M+10 BV+10 O = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season) -->

RIPARIAN FEATURES: Channel Width Channel Entrench
 Surface Water Ht. Abv. H2O Dist. from H2O

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

PltIDL C-10

COMMENTS (EODATA) --> Nest in on the ledge of a large rock outcrop -
A 35.8 radius plot would only include the rock outcrop covered
a sample including an area 5' out from the rock.

Subscription price, Five Dollars Per Annum in Advance. Single Copies, Fifteen Cents. Entered as Second-Class Matter, October 3, 1917. Postpaid. Accepted for mailing at special rate of postage provided for in Act of October 3, 1917. Authorized Second-Class Mail Matter.

Published by THE JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION, 535 North Dearborn Street, Chicago, Ill. 60610. Second-class postage paid at Chicago, Ill., and at additional mailing offices. Postmaster: Send address changes in this journal to THE JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION, 535 North Dearborn Street, Chicago, Ill. 60610.

Copyright, 1919, by The American Medical Association. All rights reserved. Reproduction of this journal in whole or in part without permission is prohibited. Printed at the Chicago Press, Chicago, Ill. 60610. The Journal of the American Medical Association is published weekly, except during the summer months when it is published bi-weekly. The subscription price is five dollars per annum in advance. Single copies, fifteen cents. Entered as second-class matter, October 3, 1917. Postpaid. Accepted for mailing at special rate of postage provided for in Act of October 3, 1917. Authorized second-class mail matter.

The Journal of the American Medical Association is published weekly, except during the summer months when it is published bi-weekly. The subscription price is five dollars per annum in advance. Single copies, fifteen cents. Entered as second-class matter, October 3, 1917. Postpaid. Accepted for mailing at special rate of postage provided for in Act of October 3, 1917. Authorized second-class mail matter.

The Journal of the American Medical Association is published weekly, except during the summer months when it is published bi-weekly. The subscription price is five dollars per annum in advance. Single copies, fifteen cents. Entered as second-class matter, October 3, 1917. Postpaid. Accepted for mailing at special rate of postage provided for in Act of October 3, 1917. Authorized second-class mail matter.

The Journal of the American Medical Association is published weekly, except during the summer months when it is published bi-weekly. The subscription price is five dollars per annum in advance. Single copies, fifteen cents. Entered as second-class matter, October 3, 1917. Postpaid. Accepted for mailing at special rate of postage provided for in Act of October 3, 1917. Authorized second-class mail matter.

The Journal of the American Medical Association is published weekly, except during the summer months when it is published bi-weekly. The subscription price is five dollars per annum in advance. Single copies, fifteen cents. Entered as second-class matter, October 3, 1917. Postpaid. Accepted for mailing at special rate of postage provided for in Act of October 3, 1917. Authorized second-class mail matter.

The Journal of the American Medical Association is published weekly, except during the summer months when it is published bi-weekly. The subscription price is five dollars per annum in advance. Single copies, fifteen cents. Entered as second-class matter, October 3, 1917. Postpaid. Accepted for mailing at special rate of postage provided for in Act of October 3, 1917. Authorized second-class mail matter.

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

MANUAL — UNITS X ft — m
 PLOT NO. E-16 MO 07 DAY 31 YEAR 92 EOCODE — *—
 EXAMINER(S) Pam Harrington Eric Atkinson
 PNC Parapleur spicata / Poa sandbergii CT —
 SITE Price Creek Plot STATE MT COUNTY BEAV
 PURP G PREC S QUIDNAME CORRAL CREEK QUADCODE 4411252
145 T / 4WR / 29 S / NW 4S / SW 4/4 COMMUNITY SIZE (acres) —
 PLOT TYPES C PLTRL 35.8 PLOT W — SURVEY AYL
 PHOTOS —
 DIRECTIONS --> —

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: 50 S+ 20 G+ 3 R+ 1 L+ 7 W+ — M+ 10 BV+ 7 O — = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)--> —

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H2O — Dist. from H2O —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

—
—
—
—
—

OCULAR PLANT SPECIES DATA

PltIDL C-12PLOT NO. E-06 NO. SPECIES 210 PNC PCR SPI / MASA

TREES			FRBS		
Tot Cv	Mht		Tot Cv	Mht	
Tal Cv	Med Cv		Med Cv	Low Cv	
Low Cv	Grd Cv	CC	Grd Cv		CC
T 1			F 1	<i>Allium fernum</i> / ALL FER	T
T 2			F 2	<i>Senecio caryus</i> / SEN CAR	I
T 3			F 3	<i>Pansteron aridus</i> / PAN ART	T
T 4			F 4	<i>Linum dasycarpum</i> / LIN DAS	T
T 5			F 5	<i>Physaria didymocarpa</i> / PHY DID	T
			F 6	<i>Heterotheca horrida</i> / HET HOR	T
SHRBS	Tot Cv <u>10</u> Mht <u>1'</u>		F 7	<i>Hymenopappus polyceratus</i> / HYM POL	I
	Tal Cv <u>—</u> Med Cv <u>T</u>		F 8	<i>Chenopodium douglasii</i> / CHA DOU	I
	Low Cv <u>10</u> Grd Cv <u>T</u>	CC	F 9	<i>Erigeron pumilus</i> / ERI PUM	I
S 1	<i>Artemisia frigida</i> / ART FRI	3	F 10	<i>Taraxacum officinale</i> / TAR OFF	T
S 2	<i>Chrysothamnus viscidiflorus</i> / CHR HAN	1	F 11	<i>Tragopogon dubius</i> / TRA DUB	T
S 3	<i>Ambrosia artemisiifolia</i> / AME ART	3	F 12	<i>Phlox hoodii</i> / PHO HOD	T
S 4	<i>Rosa arkanseana</i> / ROS ARK	1	F 13	<i>Draba oligosperma</i> / DRB OLI	T
S 5	<i>Antennaria racemosa</i> / ANT RAC	3	F 14	<i>Antennaria parviflora</i> / ANT PAR	T
S 6	<i>Suaeda sp. occidentalis</i> / SUA	1	F 15		
S 7	<i>Cercaria lanata</i> / CER LAN	1			
S 8	<i>Artemisia tripartita</i> / ART TRI	3			
S 9					
S 10					
S 11					
S 12					
GRAM	Tot Cv <u>30</u> Mht <u>1'</u>				
	Med Cv <u>10</u> Low Cv <u>20</u>				
	Grd Cv <u>1</u>	CC			
G 1	<i>Poa sandbergii</i> / POA SAN	T			
G 2	<i>Agrostis exaristata</i> / AGP EX	10			
G 3	<i>Chytocarpus hymenocarpus</i> / CHY HEM	10			
G 4	<i>Stipa occidentalis</i> / STI OCC	20			
G 5					
G 6					
G 7					
G 8					
G 9					
G 10					
G 11					
G 12					
			FERN Tot Cv <u>—</u> Mht <u>—</u> Med Cv <u>—</u>		
			Low Cv <u>—</u> Grd Cv <u>—</u>		
			BRYO/LICH Tot Cv <u>T</u>		

COMMENTS (EODATA) -->

11/1/11 diffuse

Section 1		Section 2	
Item 1	1.1	2.1	2.2
	1.2	2.3	2.4
	1.3	2.5	2.6
Item 2	2.1	2.2	2.3
	2.4	2.5	2.6
	2.7	2.8	2.9
Item 3	3.1	3.2	3.3
	3.4	3.5	3.6
	3.7	3.8	3.9
Item 4	4.1	4.2	4.3
	4.4	4.5	4.6
	4.7	4.8	4.9
Item 5	5.1	5.2	5.3
	5.4	5.5	5.6
	5.7	5.8	5.9
Item 6	6.1	6.2	6.3
	6.4	6.5	6.6
	6.7	6.8	6.9
Item 7	7.1	7.2	7.3
	7.4	7.5	7.6
	7.7	7.8	7.9
Item 8	8.1	8.2	8.3
	8.4	8.5	8.6
	8.7	8.8	8.9
Item 9	9.1	9.2	9.3
	9.4	9.5	9.6
	9.7	9.8	9.9
Item 10	10.1	10.2	10.3
	10.4	10.5	10.6
	10.7	10.8	10.9
Item 11	11.1	11.2	11.3
	11.4	11.5	11.6
	11.7	11.8	11.9
Item 12	12.1	12.2	12.3
	12.4	12.5	12.6
	12.7	12.8	12.9
Item 13	13.1	13.2	13.3
	13.4	13.5	13.6
	13.7	13.8	13.9
Item 14	14.1	14.2	14.3
	14.4	14.5	14.6
	14.7	14.8	14.9
Item 15	15.1	15.2	15.3
	15.4	15.5	15.6
	15.7	15.8	15.9
Item 16	16.1	16.2	16.3
	16.4	16.5	16.6
	16.7	16.8	16.9
Item 17	17.1	17.2	17.3
	17.4	17.5	17.6
	17.7	17.8	17.9
Item 18	18.1	18.2	18.3
	18.4	18.5	18.6
	18.7	18.8	18.9
Item 19	19.1	19.2	19.3
	19.4	19.5	19.6
	19.7	19.8	19.9
Item 20	20.1	20.2	20.3
	20.4	20.5	20.6
	20.7	20.8	20.9
Item 21	21.1	21.2	21.3
	21.4	21.5	21.6
	21.7	21.8	21.9
Item 22	22.1	22.2	22.3
	22.4	22.5	22.6
	22.7	22.8	22.9
Item 23	23.1	23.2	23.3
	23.4	23.5	23.6
	23.7	23.8	23.9
Item 24	24.1	24.2	24.3
	24.4	24.5	24.6
	24.7	24.8	24.9
Item 25	25.1	25.2	25.3
	25.4	25.5	25.6
	25.7	25.8	25.9
Item 26	26.1	26.2	26.3
	26.4	26.5	26.6
	26.7	26.8	26.9
Item 27	27.1	27.2	27.3
	27.4	27.5	27.6
	27.7	27.8	27.9
Item 28	28.1	28.2	28.3
	28.4	28.5	28.6
	28.7	28.8	28.9
Item 29	29.1	29.2	29.3
	29.4	29.5	29.6
	29.7	29.8	29.9
Item 30	30.1	30.2	30.3
	30.4	30.5	30.6
	30.7	30.8	30.9
Item 31	31.1	31.2	31.3
	31.4	31.5	31.6
	31.7	31.8	31.9
Item 32	32.1	32.2	32.3
	32.4	32.5	32.6
	32.7	32.8	32.9
Item 33	33.1	33.2	33.3
	33.4	33.5	33.6
	33.7	33.8	33.9
Item 34	34.1	34.2	34.3
	34.4	34.5	34.6
	34.7	34.8	34.9
Item 35	35.1	35.2	35.3
	35.4	35.5	35.6
	35.7	35.8	35.9
Item 36	36.1	36.2	36.3
	36.4	36.5	36.6
	36.7	36.8	36.9
Item 37	37.1	37.2	37.3
	37.4	37.5	37.6
	37.7	37.8	37.9
Item 38	38.1	38.2	38.3
	38.4	38.5	38.6
	38.7	38.8	38.9
Item 39	39.1	39.2	39.3
	39.4	39.5	39.6
	39.7	39.8	39.9
Item 40	40.1	40.2	40.3
	40.4	40.5	40.6
	40.7	40.8	40.9
Item 41	41.1	41.2	41.3
	41.4	41.5	41.6
	41.7	41.8	41.9
Item 42	42.1	42.2	42.3
	42.4	42.5	42.6
	42.7	42.8	42.9
Item 43	43.1	43.2	43.3
	43.4	43.5	43.6
	43.7	43.8	43.9
Item 44	44.1	44.2	44.3
	44.4	44.5	44.6
	44.7	44.8	44.9
Item 45	45.1	45.2	45.3
	45.4	45.5	45.6
	45.7	45.8	45.9
Item 46	46.1	46.2	46.3
	46.4	46.5	46.6
	46.7	46.8	46.9
Item 47	47.1	47.2	47.3
	47.4	47.5	47.6
	47.7	47.8	47.9
Item 48	48.1	48.2	48.3
	48.4	48.5	48.6
	48.7	48.8	48.9
Item 49	49.1	49.2	49.3
	49.4	49.5	49.6
	49.7	49.8	49.9
Item 50	50.1	50.2	50.3
	50.4	50.5	50.6
	50.7	50.8	50.9
Item 51	51.1	51.2	51.3
	51.4	51.5	51.6
	51.7	51.8	51.9
Item 52	52.1	52.2	52.3
	52.4	52.5	52.6
	52.7	52.8	52.9
Item 53	53.1	53.2	53.3
	53.4	53.5	53.6
	53.7	53.8	53.9
Item 54	54.1	54.2	54.3
	54.4	54.5	54.6
	54.7	54.8	54.9
Item 55	55.1	55.2	55.3
	55.4	55.5	55.6
	55.7	55.8	55.9
Item 56	56.1	56.2	56.3
	56.4	56.5	56.6
	56.7	56.8	56.9
Item 57	57.1	57.2	57.3
	57.4	57.5	57.6
	57.7	57.8	57.9
Item 58	58.1	58.2	58.3
	58.4	58.5	58.6
	58.7	58.8	58.9
Item 59	59.1	59.2	59.3
	59.4	59.5	59.6
	59.7	59.8	59.9
Item 60	60.1	60.2	60.3
	60.4	60.5	60.6
	60.7	60.8	60.9
Item 61	61.1	61.2	61.3
	61.4	61.5	61.6
	61.7	61.8	61.9
Item 62	62.1	62.2	62.3
	62.4	62.5	62.6
	62.7	62.8	62.9
Item 63	63.1	63.2	63.3
	63.4	63.5	63.6
	63.7	63.8	63.9
Item 64	64.1	64.2	64.3
	64.4	64.5	64.6
	64.7	64.8	64.9
Item 65	65.1	65.2	65.3
	65.4	65.5	65.6
	65.7	65.8	65.9
Item 66	66.1	66.2	66.3
	66.4	66.5	66.6
	66.7	66.8	66.9
Item 67	67.1	67.2	67.3
	67.4	67.5	67.6
	67.7	67.8	67.9
Item 68	68.1	68.2	68.3
	68.4	68.5	68.6
	68.7	68.8	68.9
Item 69	69.1	69.2	69.3
	69.4	69.5	69.6
	69.7	69.8	69.9
Item 70	70.1	70.2	70.3
	70.4	70.5	70.6
	70.7	70.8	70.9
Item 71	71.1	71.2	71.3
	71.4	71.5	71.6
	71.7	71.8	71.9
Item 72	72.1	72.2	72.3
	72.4	72.5	72.6
	72.7	72.8	72.9
Item 73	73.1	73.2	73.3
	73.4	73.5	73.6
	73.7	73.8	73.9
Item 74	74.1	74.2	74.3
	74.4	74.5	74.6
	74.7	74.8	74.9
Item 75	75.1	75.2	75.3
	75.4	75.5	75.6
	75.7	75.8	75.9
Item 76	76.1	76.2	76.3
	76.4	76.5	76.6
	76.7	76.8	76.9
Item 77	77.1	77.2	77.3
	77.4	77.5	77.6
	77.7	77.8	77.9
Item 78	78.1	78.2	78.3
	78.4	78.5	78.6
	78.7	78.8	78.9
Item 79	79.1	79.2	79.3
	79.4	79.5	79.6
	79.7	79.8	79.9
Item 80	80.1	80.2	80.3
	80.4	80.5	80.6
	80.7	80.8	80.9
Item 81	81.1	81.2	81.3
	81.4	81.5	81.6
	81.7	81.8	81.9
Item 82	82.1	82.2	82.3
	82.4	82.5	82.6
	82.7	82.8	82.9
Item 83	83.1	83.2	83.3
	83.4	83.5	83.6
	83.7	83.8	83.9
Item 84	84.1	84.2	84.3
	84.4	84.5	84.6
	84.7	84.8	84.9
Item 85	85.1	85.2	85.3
	85.4	85.5	85.6
	85.7	85.8	85.9
Item 86	86.1	86.2	86.3
	86.4	86.5	86.6
	86.7	86.8	86.9
Item 87	87.1	87.2	87.3
	87.4	87.5	87.6
	87.7	87.8	87.9
Item 88	88.1	88.2	88.3
	88.4	88.5	88.6
	88.7	88.8	88.9
Item 89	89.1	89.2	89.3
	89.4	89.5	89.6
	89.7	89.8	89.9
Item 90	90.1	90.2	90.3
	90.4	90.5	90.6
	90.7	90.8	90.9
Item 91	91.1	91.2	91.3
	91.4	91.5	91.6
	91.7	91.8	91.9
Item 92	92.1	92.2	92.3
	92.4	92.5	92.6
	92.7	92.8	92.9
Item 93	93.1	93.2	93.3
	93.4	93.5	93.6
	93.7	93.8	93.9
Item 94	94.1	94.2	94.3
	94.4	94.5	94.6
	94.7	94.8	94.9
Item 95	95.1	95.2	95.3
	95.4	95.5	95.6
	95.7	95.8	95.9
Item 96	96.1	96.2	96.3
	96.4	96.5	96.6
	96.7	96.8	96.9
Item 97	97.1	97.2	97.3
	97.		

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

MANUAL UNITS X ft m
 PLOT NO. F-07 MO 07 DAY 31 YEAR 92 EOCODE *
 EXAMINER(S) Pam Harrington Eric Atkinson
 PNC Artemisia tridentata / Agropyron spicatum CT
 SITE Lakeview Nests STATE MT COUNTY BEAV
 PURP G PREC S QUADNAME BIG TABLE MTN QUADCODE 4411251
145T/44R/28S/NE4S/SE4/4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35.8 PLOT W SURVEY AYL
 PHOTOS
 DIRECTIONS -->

CONSERVATION RANKING

COND Com:
 VIAB Com:
 DEFN Com:
 RANK Com:
 MGMT:
 PROT:

ENVIRONMENTAL FEATURES

DL Conifer SOIL RPT
 SOIL UNIT SOIL TAXON
 PM LANDFORM PLOT POS SLP SHAPE ASP
 SLOPE % ELEVATION EROS POTENT EROS TYPE
 HORIZON ANGLE (%): N E S W IFSLP IFVAL
 SPFE
 GROUND COVER: 3 S+ 1 G+ - R+ 70 L+ - W+ - M+ 20 BV+ - O - = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)-->

RIPARIAN FEATURES: Channel Width Channel Entrench
 Surface Water Ht. Abv. H2O Dist. from H2O

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

PltIDL — C-14

COMMENTS (EODATA) -->

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

PLOT NO. F-08 MO 07 DAY 31 YEAR 92 EOCODE — * —
 MANUAL — UNITS X ft — m
 EXAMINER(S) Pam Harrington Eric Atkinson
 PNC Rhus trilobata / Aspidosiphon spicatum CT —
 SITE North Ca. N. 24 STATE MT COUNTY BEAV
 PURP IG PREC S QUADNAME MONIDA QUADCODE 4411253
145T/ SWR/ 35S/ NE4S/ NE4/4 COMMUNITY SIZE (acres) —
 PLOT TYPES C PLTRL 35.8 PLOT W — SURVEY AYL
 PHOTOS —
 DIRECTIONS --> —

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Deciduous SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: 30 S+ — G+ — R+ 20 L+ 10 W+ 20 M+ 20 BV+ — O — = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)--> —

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H20 — Dist. from H20 —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

—
—
—
—

OCULAR PLANT SPECIES DATA

PltIDL C-16PLOT NO. E-08 NO. SPECIES 18 PNC KHUTRI / AGR SPI

TREES			FRBS		
Tot Cv	<u>50</u>	Mht <u>15'</u>	Tot Cv	<u>20</u>	Mht <u>1'</u>
Tal Cv	<u>50</u>	Med Cv <u>—</u>	Med Cv	<u>10</u>	Low Cv <u>10</u>
Low Cv	<u>—</u>	Grd Cv <u>—</u>	Grd Cv	<u>3</u>	
CC			CC		
T 1	<u>L. ilicifolia spp / SAL</u>	<u>50</u>	F 1	<u>MENTHA spp / MEN</u>	<u>T</u>
T 2	<u>—</u>		F 2	<u>Cynoglossum officinale / CIN OFF</u>	<u>10</u>
T 3	<u>—</u>		F 3	<u>Achillea millefolium / ACH MEI</u>	<u>T</u>
T 4	<u>—</u>		F 4	<u>Geum macrophyllum / GEUM MC</u>	<u>1</u>
T 5	<u>—</u>		F 5	<u>Senecio integerrimus / SEN INT</u>	<u>10</u>
			F 6	<u>Macrorhizanthus canescens / MAC CAN</u>	<u>T</u>
SHRBS	Tot Cv <u>10</u> Mht <u>2'</u>		F 7	<u>Potentilla anserina / POT ANS</u>	<u>3</u>
	Tal Cv <u>10</u> Med Cv <u>3</u>		F 8	<u>Taraxacum officinale / TAR OFF</u>	<u>3</u>
	Low Cv <u>—</u> Grd Cv <u>—</u>	CC	F 9	<u>Erigeron pumilus / ERIG PUM</u>	<u>T</u>
			F 10	<u>—</u>	
S 1	<u>Ribes spp / RIB</u>	<u>3</u>	F 11	<u>—</u>	
S 2	<u>Pentstemon alpinus / PEN ALP</u>	<u>3</u>	F 12	<u>—</u>	
S 3	<u>Rosa arkansana / ROS ARK</u>	<u>3</u>	F 13	<u>—</u>	
S 4	<u>—</u>		F 14	<u>—</u>	
S 5	<u>—</u>		F 15	<u>—</u>	
S 6	<u>—</u>				
S 7	<u>—</u>				
S 8	<u>—</u>				
S 9	<u>—</u>				
S 10	<u>—</u>				
S 11	<u>—</u>				
S 12	<u>—</u>				
GRAM	Tot Cv <u>95</u> Mht <u>2'</u>				
	Med Cv <u>50</u> Low Cv <u>50</u>				
	Grd Cv <u>—</u>	CC			
G 1	<u>Poa pratensis / POA PRAT</u>	<u>40</u>			
G 2	<u>Alopecurus alpinus / ALU ALP</u>	<u>30</u>			
G 3	<u>Hordeum brachyantherum / HOR BRACH</u>	<u>20</u>			
G 4	<u>Reckmannia erigeronifolia / RECK ERIG</u>	<u>50</u>			
G 5	<u>Carex pachystachya / CAR PAC</u>	<u>20</u>			
G 6	<u>—</u>				
G 7	<u>—</u>				
G 8	<u>—</u>				
G 9	<u>—</u>				
G 10	<u>—</u>				
G 11	<u>—</u>				
G 12	<u>—</u>				
			FERN Tot Cv <u>—</u> Mht <u>—</u> Med Cv <u>—</u>		
			Low Cv <u>—</u> Grd Cv <u>—</u>		
			(BRYO) LICH Tot Cv <u>1</u>		

COMMENTS (EODATA) -->

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

MANUAL UNITS X ft m
 PLOT NO. F-09 MO 07 DAY 31 YEAR 92 EOCODE *
 EXAMINER(S) Pam Harrington Eric Atkinson
 PNC Rhus trilobata / Acrocyron spicatum CT
 SITE Monida Plot 2 STATE MT COUNTY BEAV
 PURP G PREC S QUADNAME MONIDA QUADCODE 4411253
145 T / 4 W R / 35 S / 5 W 4 S / NE 4 / 4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35.8 PLOT W SURVEY AYL
 PHOTOS
 DIRECTIONS -->

CONSERVATION RANKING

COND Com:
 VIAE Com:
 DEFN Com:
 RANK Com:
 MGMT:
 PROT:

ENVIRONMENTAL FEATURES

DL Deciduous SOIL RPT
 SOIL UNIT SOIL TAXON
 PM LANDFORM PLOT POS SLP SHAPE ASP
 SLOPE % ELEVATION EROS POTENT EROS TYPE
 HORIZON ANGLE (%): N E S W IFSLP IFVAL
 SPFE
 GROUND COVER: S+ G+ R+ 50 L+ 1 W+ M+ 20 BV+ O = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)-->

RIPARIAN FEATURES: Channel Width Channel Entrench
 Surface Water Ht. Abv. H2O Dist. from H2O

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

OCULAR PLANT SPECIES DATA

PltIDL C-18

PLOT NO. E-09 NO. SPECIES 10 PNC RHUTRI / AGR SPI

TREES Tot Cv 30 Mht 18'
Tal Cv 30 Med Cv —
Low Cv — Grd Cv —

CC

FRBS Tot Cv 20 Mht 1.5'
Med Cv 10 Low Cv 10
Grd Cv —

CC

T 1 Willow spp / SAL 30
T 2 — —
T 3 — —
T 4 — —
T 5 — —

F 1 Galium macrophyllum / GALMAC 10
F 2 Galium boreale / GALBOR 1
F 3 Senecio integerrimus / SEUENT 3
F 4 Cirsium spp / CIR 3
F 5 Lewisia pygmaea / LEWPK 2 X
F 6 — —

SHRBS Tot Cv 50 Mht 10'
Tal Cv — Med Cv 50
Low Cv — Grd Cv —

CC

F 7 — —
F 8 — —
F 9 — —
F 10 — —
F 11 — —
F 12 — —
F 13 — —
F 14 — —
F 15 — —

S 1 Willow spp / SAL 50
S 2 Rubus spp / RUB 3
S 3 Artemisia ludoviciana / ARTLUD 1
S 4 — —
S 5 — —
S 6 — —
S 7 — —
S 8 — —
S 9 — —
S 10 — —
S 11 — —
S 12 — —

GRAM Tot Cv 30 Mht 1'
Med Cv 10 Low Cv 20
Grd Cv —

CC

G 1 Carex pachystachya / CARPAC 10
G 2 Poa pratensis / POAPRA 10
G 3 Alopecurus alpinus / ALOALP 10
G 4 — —
G 5 — —
G 6 — —
G 7 — —
G 8 — —
G 9 — —
G 10 — —
G 11 — —
G 12 — —

FERN Tot Cv — Mht — Med Cv —
Low Cv — Grd Cv —
BRYO/LICH Tot Cv —

COMMENTS (EODATA) --> —

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

PLOT NO. E-10 MO 07 DAY 31 YEAR 92 MANUAL — UNITS X ft — m
 EXAMINER(S) Ben Harrington Eric Atkinson EOCODE — *—
 PNC Artemesia tridentata / Agropyron spicatum CT —
 SITE Harmon Lake Road STATE MT COUNTY BEAV
 PURP G PREC S QUADNAME MONIDA QUADCODE 4411253
145T/6WR/33S/SE4S/SE4/4 COMMUNITY SIZE (acres) —
 PLOT TYPES C PLTRL 35.8 PLOT W — SURVEY AYL
 PHOTOS —
 DIRECTIONS --> —

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: 30S+T G+—R+50L+—W+—M+20BV+—O— = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)--> —

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H2O — Dist. from H2O —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

—
—
—
—

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

PLOT NO. F-11 MO 07 DAY 31 YEAR 92 EOCODE *
 EXAMINER(S) Brian Harrington Eric Atkinson
 PNC Artemisia tridentata / Asclepias speciosum CT
 SITE Diamond Brite Nest STATE MT COUNTY BEAV
 PURP G PREC S QUADNAME MONICA QUADCODE 441253
155T/6W R/8 S/NE4S/SE 4/4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35.8 PLOT W SURVEY AYL
 PHOTOS
 DIRECTIONS -->

CONSERVATION RANKING

COND Com:
 VIAB Com:
 DEFN Com:
 RANK Com:
 MGMT:
 PROT:

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT
 SOIL UNIT SOIL TAXON
 PM LANDFORM PLOT POS SLP SHAPE ASP
 SLOPE % ELEVATION EROS POTENT EROS TYPE
 HORIZON ANGLE (%): N E S W IFSLP IFVAL
 SPFE
 GROUND COVER: 10 S+ 50 G+ 20 R+ 10 L+ W+ M+ 10 BV+ O = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)-->

RIPARIAN FEATURES: Channel Width Channel Entrench
 Surface Water Ht. Abv. H2O Dist. from H2O

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

PltIDL C-22

COMMENTS (EODATA) --> _____

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

MANUAL UNITS X ft m
 PLOT NO. F-12 MO 07 DAY 31 YEAR 92 EOCODE *
 EXAMINER(S) Pam Harrington ERIC ATKINSON
 PNC Artemesia tridentata / Agropyron spicatum CT
 SITE Frontal Plot STATE MT COUNTY BEAV
 PURP 6 PREC 5 QUADNAME SNOWLINE QUADCODE 4411254
15S T/ 6WR/ 7 S/ SW4S/ SW4/4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35.8 PLOT W SURVEY AYL
 PHOTOS
 DIRECTIONS -->

CONSERVATION RANKING

COND Com:
 VIAB Com:
 DEFN Com:
 RANK Com:
 MGMT:
 PROT:

ENVIRONMENTAL FEATURES

DL Conifer SOIL RPT
 SOIL UNIT SOIL TAXON
 PM LANDFORM PLOT POS SLP SHAPE ASP
 SLOPE % ELEVATION EROS POTENT EROS TYPE
 HORIZON ANGLE (%): N E S W IFSLP IFVAL
 SPFE
 GROUND COVER: 1 S+ G+ R+ 80 L+ 3 W+ M+ 20 BV+ O = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)-->

RIPARIAN FEATURES: Channel Width Channel Entrench
 Surface Water Ht.Abv.H2O Dist. from H2O

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

MANUAL — UNITS X ft — m
 PLOT NO. F-13 MO 08 DAY 01 YEAR 92 EOCODE — *—
 EXAMINER(S) Dan Harrington Eric Atkinson
 PNC Cercocarpus b. difolius / Agropyron spicatum CT
 SITE Vinegar Hill STATE MT COUNTY BEAV
 PURP G PREC S QUADNAME VINEGAR HILL QUADCODE 4411274
125 T / 7 W R / 28 S / SE 4 S / SE 4 / 4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35, 8 PLOT W — SURVEY AYL
 PHOTOS —
 DIRECTIONS --> —

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: 30 S+ 10 G+ 10 R+ 30 L+ 10 W+ — M+ 10 BV+ — O — = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)--> —

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H2O — Dist. from H2O —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

—
—
—
—

OCULAR PLANT SPECIES DATA

PltIDL C-24

PLOT NO. F-12 NO. SPECIES 19 PNC ART TRE / AGR SPI

TREES Tot Cv 30 Mht 22'
Tal Cv 30 Med Cv 1
Low Cv 1 Grd Cv — CC

T 1 Pseudotsuga menziesii / PSE MEN 30
T 2 U
T 3
T 4
T 5

SHRBS Tot Cv 80 Mht 2'
Tal Cv — Med Cv 70
Low Cv 20 Grd Cv — CC

S 1 Artemisia tridentata / ART TRE 20
S 2 Salix caprea / SYM 30
S 3 Ribes spp / RIB 30
S 4 Butterfly weed / BUT SW 20
S 5
S 6
S 7
S 8
S 9
S10
S11
S12

GRAM Tot Cv 40 Mht 1.5'
Med Cv 30 Low Cv 20
Grd Cv — CC

G 1 Stipa comata / STE COM 10
G 2 Hesperis matronalis / HES MAT 10
G 3 Bromus japonicus / BRO JAP T
G 4 Festuca idahoensis / FES IDA 10
G 5 Stipa occidentalis / STE OCC 30
G 6
G 7
G 8
G 9
G10
G11
G12

FRBS Tot Cv 10 Mht .5'
Med Cv — Low Cv 10
Grd Cv 3 CC

F 1 Asplenium platyneuron / ASP MIL 1
F 2 Erigeron phillyria / ERI UMB 1
F 3 Berberis repens / BER REP 1
F 4 Draba oligosperma / DRA OLI 1
F 5 Geranium dissectum / GER DIS 3
F 6 Lupinus sericeus / LUP SER T
F 7 Galium boreale / GAL BOR 1
F 8 Delphinium bicolor / DEL BIC 1
F 9 Erysimum cheiranthoides / ERY CHE T
F10
F11
F12
F13
F14
F15

FERN Tot Cv — Mht Med Cv
Low Cv Grd Cv
BRYO/LICH Tot Cv —

COMMENTS (EODATA) -->



OCULAR PLANT SPECIES DATA

PltIDL C-26

PLOT NO. F-12 NO. SPECIES 29 PNC CERIED / AGR SPI

TREES Tot Cv — Mht —
Tal Cv — Med Cv —
Low Cv — Grd Cv —

CC

FRBS Tot Cv 20 Mht .5'
Med Cv — Low Cv 10
Grd Cv 10

CC

T 1
T 2
T 3
T 4
T 5

SHRBS Tot Cv 50 Mht 3'
Tal Cv — Med Cv 40
Low Cv 20 Grd Cv 3

CC

S 1 Cercocarpus ledifolius / CERLED 40
S 2 Buttercupia sarothrae / BUTSAR 1
S 3 Artemisia tridentata / ARTTRI 10
S 4 Artemisia tridentata / ARTTRI 3
S 5 Chrysothamnus nauseosus / CHRNAU 3
S 6
S 7
S 8
S 9
S 10
S 11
S 12

GRAM Tot Cv 50 Mht 1'
Med Cv 30 Low Cv 20
Grd Cv 3

CC

G 1 Oryzopsis hymenoides / ORYHYM 30
G 2 Hordeum bogotense / HORBOG 30
G 3 Stipa comata / STICOM 1
G 4 Muhlenbergia cuspidata / MUHCUS 10
G 5
G 6
G 7
G 8
G 9
G 10
G 11
G 12

F 1 Linum perenne / LINPER 3
F 2 Delphinium (luteum) / DELLUT 1
F 3 Potentilla gracilis / POTGRA T ✓
F 4 Trigonostemon dubius / TRADUB T
F 5 Humboldtia polycarpa / HYPOLI T
F 6 Antennaria parvifolia / ANTAPA 1
F 7 Macrorhiza canescens / MACCAN T
F 8 Stanleya viridiflora / STAVIR T
F 9 Draba oligosperma / DRADOL T x
F 10 Lewisia pyramica / LEWPIG T ✓
F 11 Eriogonum fasciculatum / ERIFAS T
F 12 Sedum lanceolatum / SEDLAN T ✓
F 13 Chenopodium douglasii / CHADOU T
F 14 Astragalus druckermii / ASTDRU T
F 15 Taraxacum officinale / TAROFF 10

F-07
X

FERN Tot Cv — Mht — Med Cv —
Low Cv — Grd Cv —
BRYO/LICH Tot Cv —

COMMENTS (EODATA) -->

COMMUNITY SURVEY FORM

MTNHP
5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

MANUAL — UNITS X ft — m
 PLOT NO. F-14 MO 08 DAY 01 YEAR 92 EOCODE — *—
 EXAMINER(S) Pam Harrington Eric Atkinson
 PNC Stipa compta / Bouteloua gracilis CT —
 SITE 4 eaa Hunka STATE MT COUNTY BEAV
 PURP 6 PREC 5 QUADNAME DALYS QUADCODE 4511217
95 T/10WR/19 S/NE4S/SW4/4 COMMUNITY SIZE (acres)
 PLOT TYPES C PLTRL 35.8 PLOT W — SURVEY AYL
 PHOTOS —
 DIRECTIONS -->

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: 3 S+ 40 G+ 40 R+ 10 L+ — W+ — M+ 3 BV+ 20 = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)--> —

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H2O — Dist. from H2O —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

OCULAR PLANT SPECIES DATA

C-28
PltIDL PLOT NO. F-14 NO. SPECIES 14 PNC STICOM / BOUGRA

TREES			FRBS		
Tot Cv	Mht		Tot Cv	Mht	
Tal Cv	Med Cv		Med Cv	Low Cv	
Low Cv	Grd Cv	CC	Grd Cv		CC
T 1	/		F 1	<u>Senecio canus</u> / <u>SENCAN</u>	1 X
T 2	/		F 2	<u>Lactuca spp</u> / <u>LAC</u>	1 X
T 3	/		F 3	<u>Phlox hoodii</u> / <u>PHLHOD</u>	1
T 4	/		F 4	<u>Sedum laevigatum</u> / <u>SEDLA</u>	1 X
T 5	/		F 5	<u>Eriogonum chrysops</u> / <u>ERICHR</u>	T
			F 6	<u>Erygon compositus</u> / <u>ERICOM</u>	T X
SHRBS Tot Cv <u>10</u> Mht <u>1'</u>			F 7	/	
Tal Cv	Med Cv <u>1</u>		F 8	/	
Low Cv <u>3</u>	Grd Cv <u>10</u>	CC	F 9	/	
			F10	/	
S 1	<u>Artemisia frigida</u> / <u>ARTFRI</u>	3	F11	/	
S 2	<u>Gutierrezia serotina</u> / <u>GUTSER</u>	1	F12	/	
S 3	<u>Chrysothamnus nauseosus</u> / <u>CHR NAU</u>	3	F13	/	
S 4	<u>Juniperus communis</u> / <u>JUNCOM</u>	1	F14	/	
S 5	<u>Artemisia tridentata</u> / <u>ARTTRI</u>	1	F15	/	
S 6	/			/	
S 7	/			/	
S 8	/			/	
S 9	/			/	
S10	/			/	
S11	/			/	
S12	/			/	
GRAM Tot Cv <u>20</u> Mht <u>.8'</u>				/	
Med Cv <u>7</u>	Low Cv <u>20</u>			/	
Grd Cv <u>3</u>		CC		/	
				/	
G 1	<u>Stipa cymata</u> / <u>STICOM</u>	20		/	
G 2	<u>Muhlenbergia cinerea</u> / <u>MUHCE</u>	7		/	
G 3	<u>Agropyron spicatum</u> / <u>AGPSPI</u>	1		/	
G 4	/			/	
G 5	/			/	
G 6	/			/	
G 7	/			/	
G 8	/			/	
G 9	/			/	
G10	/			/	
G11	/			/	
G12	/			/	
			FERN Tot Cv <u> </u> Mht <u> </u> Med Cv <u> </u>		
			Low Cv <u> </u> Grd Cv <u> </u>		
			BRYO/LICH Tot Cv <u> </u>		

COMMENTS (EODATA) -->

COMMUNITY SURVEY FORM

MTNHP

5/27/91

GENERAL PLOT DATA

IDENTIFICATION AND LOCATION

MANUAL — UNITS X ft — m
 PLOT NO. F-15 MO 08 DAY 01 YEAR 92 EOCODE — *—
 EXAMINER(S) Pam Harrington Eric Atkinson
 PNC Agropyron spicatum / Poa sandbergii CT —
 SITE Pan-nack, Nod STATE MT COUNTY RIEAL
 PURP G PREC 5 QUADNAME BANNACK QUADCODE 4511228
7S T/ 11W R/ 35S/ 5E4S/ NE4/4 COMMUNITY SIZE (acres) —
 PLOT TYPES C PLTRL 25.8 PLOT W — SURVEY AYL
 PHOTOS —
 DIRECTIONS --> —

CONSERVATION RANKING

COND — Com: —
 VIAB — Com: —
 DEFN — Com: —
 RANK — Com: —
 MGMT: —
 PROT: —

ENVIRONMENTAL FEATURES

DL Shrub SOIL RPT —
 SOIL UNIT — SOIL TAXON —
 PM — LANDFORM — PLOT POS — SLP SHAPE — ASP —
 SLOPE % — ELEVATION — EROS POTENT — EROS TYPE —
 HORIZON ANGLE (%): N — E — S — W — IFSLP — IFVAL —
 SPFE —
 GROUND COVER: — S+ 70 G+ 10 R+ 10 L+ — W+ — M+ 10 BV+ 10 = 100%
 DISTURBANCE HISTORY (type, intensity, frequency, season)--> —

RIPARIAN FEATURES: Channel Width — Channel Entrench —
 Surface Water — Ht. Abv. H2O — Dist. from H2O —

GENERAL SITE DESCRIPTION (landscape features and adjacent ct's)

—
—
—
—

CONTENTS

ORIGINAL ARTICLES	1
REPORTS	1
SYMPOSIUM	1
EDITORIAL	1
DEPARTMENTS	1
NOTES	1
ANNOUNCEMENTS	1
OBITUARY	1
INDEX	1

CONTENTS (Continued)

ORIGINAL ARTICLES	1
REPORTS	1
SYMPOSIUM	1
EDITORIAL	1
DEPARTMENTS	1
NOTES	1
ANNOUNCEMENTS	1
OBITUARY	1
INDEX	1

CONTENTS (Continued)

ORIGINAL ARTICLES	1
REPORTS	1
SYMPOSIUM	1
EDITORIAL	1
DEPARTMENTS	1
NOTES	1
ANNOUNCEMENTS	1
OBITUARY	1
INDEX	1

CONTENTS (Continued)

ORIGINAL ARTICLES	1
REPORTS	1
SYMPOSIUM	1
EDITORIAL	1
DEPARTMENTS	1
NOTES	1
ANNOUNCEMENTS	1
OBITUARY	1
INDEX	1

CONTENTS (Continued)

ORIGINAL ARTICLES	1
REPORTS	1
SYMPOSIUM	1
EDITORIAL	1
DEPARTMENTS	1
NOTES	1
ANNOUNCEMENTS	1
OBITUARY	1
INDEX	1

OCULAR PLANT SPECIES DATA

PltIDL C-30

PLOT NO. F-15 NO. SPECIES 11 PNC AGK SPI / POA SAN

TREES			FRBS		
Tot Cv	Mht		Tot Cv	Mht	
Tal Cv	Med Cv		Med Cv	Low Cv	
Low Cv	Grd Cv	CC	Grd Cv		CC
T 1			F 1	<i>Phacelia hastata</i> / PHAHAS	3
T 2			F 2	<i>Chenopodium douglasii</i> / CHADOU	1
T 3			F 3	<i>Lewisia pygmaea</i> / LEW PYG	T
T 4			F 4	<i>Eriogonum strictum</i> / ERI SER	T
T 5			F 5	<i>Mentzelia laevicaulis</i> / MEN LAE	T
			F 6	<i>Eriogonum microthecum</i> / ERI MIC	10
SHRBS			F 7		
Tot Cv	Mht		F 8		
Tal Cv	Med Cv		F 9		
Low Cv	Grd Cv	CC	F 10		
S 1	<i>Buttercupia sarothrae</i> / BUT SER	1	F 11		
S 2	<i>Pentstemon frigidus</i> / PENT FR	3	F 12		
S 3	<i>Chrysothamnus nauseosus</i> / CHR NAU	3	F 13		
S 4			F 14		
S 5			F 15		
S 6					
S 7					
S 8					
S 9					
S 10					
S 11					
S 12					
GRAM					
Tot Cv	Mht				
Med Cv	Low Cv				
Grd Cv		CC			
G 1	<i>Hordeum spicatum</i> / HOR SPI	10			
G 2	<i>Bromus tectorum</i> / BROM TEC	1			
G 3					
G 4					
G 5					
G 6					
G 7					
G 8					
G 9					
G 10					
G 11					
G 12					
			FERN Tot Cv <u> </u> Mht <u> </u> Med Cv <u> </u>		
			Low Cv <u> </u> Grd Cv <u> </u>		
			BRYO/LICH Tot Cv <u>1</u>		

COMMENTS (EODATA) -->

MTNHP SITE AND COMMUNITY
SURVEY MANUAL
version 91B

Montana Natural Heritage Program
1515 East 6th Ave., Helena, MT 59620

© 1991 Montana Natural Heritage Program

This document should be cited as follows:

DeVelice, R.L. 1991. MTNHP site and community survey manual.
version 91B. Montana Natural Heritage Program, Helena, MT.
24 pp.

MTNHP SITE AND COMMUNITY FORM MANUAL

Montana Natural Heritage Program
1515 East 6th Ave., Helena, MT 59620

This manual is for use in completing the 5/27/91 versions of the Site Survey and Community Survey forms. Only those fields potentially needing greater clarification are included. Definitions for many of the fields on the Community Survey Form are taken directly from the USDA Forest Service's ECODATA General Field and Plant Composition data forms (developed at the Forest Service Regional Office, Missoula, MT). See last two pages of manual for copies of survey forms.

SITE SURVEY FORM INSTRUCTIONS

IDENTIFICATION AND LOCATION

MANUAL

Enter the version number of the MTNHP survey manual used in completing this form (i.e., "91B" for this manual).

SITENAME

Each site should be assigned a unique name. A few standards in naming follow:

1. do not use element names in the site name
2. use local place names when available
3. use names of features on topographic maps when local names do not exist

DIRECTIONS

Directions to Site - enter precise directions to the site using a readily locatable landmark (e.g., a city, a major highway, etc.) as the starting point on a state or local road map. Use clear complete sentences that will be understandable to someone who is unfamiliar with the area, needs to get to the site, and has only your directions to follow. Cite distances as closely as possible to the 1/10 of a mile, use compass directions (N, S, E, and W), and be sure to specify the best access to the site, such as where to park or which trail to use.

MTNHP SITE AND COMMUNITY FORM MANUAL

Montana Natural Heritage Program
1515 East 6th Ave., Helena, MT 59620

This manual is for use in completing the 5/27/91 versions of the Site Survey and Community Survey forms. Only those fields potentially needing greater clarification are included. Definitions for many of the fields on the Community Survey Form are taken directly from the USDA Forest Service's ECODATA General Field and Plant Composition data forms (developed at the Forest Service Regional Office, Missoula, MT). See last two pages of manual for copies of survey forms.

SITE SURVEY FORM INSTRUCTIONS**IDENTIFICATION AND LOCATION****MANUAL**

Enter the version number of the MTNHP survey manual used in completing this form (i.e., "91B" for this manual).

SITENAME

Each site should be assigned a unique name. A few standards in naming follow:

1. do not use element names in the site name
2. use local place names when available
3. use names of features on topographic maps when local names do not exist

DIRECTIONS

Directions to Site - enter precise directions to the site using a readily locatable landmark (e.g., a city, a major highway, etc.) as the starting point on a state or local road map. Use clear complete sentences that will be understandable to someone who is unfamiliar with the area, needs to get to the site, and has only your directions to follow. Cite distances as closely as possible to the 1/10 of a mile, use compass directions (N, S, E, and W), and be sure to specify the best access to the site, such as where to park or which trail to use.

ELEMENT OCCURRENCES

Under "Element Name" list all elements sought, reported, or confirmed from the site. If known, record the "Occurrence Numbers" for each. Use the "Plot Number" codes from the community survey form or generate simple letter or number codes which identify each element occurrence on the base map; these codes help keep the base map uncluttered. Indicate whether the element was found (Y, N) on the date of the site visit, and whether a return visit is needed.

SITE DESCRIPTION/DESIGN

SITE DESCRIPTION

Enter a short general visual description of the site. The description should present a simple, easily understood, word picture of the site's principle physical and natural features.

Example: "The site is a granitic exfoliation dome of the Boulder batholith. It is primarily covered by crustose lichens. Vascular plants are rooted in rock fissures."

Comments about the biodiversity significance of the site will be generated later following review of the Site Survey and Community Survey forms and should not be part of this site description.

BOUNDARY JUSTIFICATION

Explain the biological rationale used to determine the location of the site's primary and secondary ecological boundaries. Your explanation should clearly justify why the site boundaries were drawn where they were rather than simply describing the boundaries or any coincidental property lines. Include reference to the source of information (e.g., field work, maps, etc.) on which boundary decisions were based.

PROTECTION URGENCY

A protection action may include activities such as educational or public relations campaigns or collaborative planning efforts with public or private entities to minimize adverse impacts to element occurrences at the site. It does not include management actions (i.e., any action requiring stewardship intervention).

Threats that may require a protection action include:

1. anthropogenic forces that threaten the existence of one or more element occurrences at the site
2. the inability to undertake a management action in the absence of a protection action

MANAGEMENT URGENCY

A management action may include biological management (e.g., prescribed burning, removal of exotics) or people and site management (e.g., building barriers to prevent ORV use, rerouting trails, patrolling for collectors, hunters, or trespassers). Management action does not include legal, political, or administrative measures taken to protect the site.

STEWARDSHIP

LAND USE COMMENTS

Describe current and past land use, improvements and structures. Discuss the stewardship implications of this use.

Uses to consider: recreation, dumping, agriculture, mining, grazing, etc. Discuss the possibility of hazardous or toxic waste disposal on site including reasons as to why it may or may not be a problem.

POTENTIAL HAZARDS

Describe potential natural hazards (e.g., cliffs, caves, waterfalls, etc.) on the site and indicate any precautions stewardship should take.

EXOTIC FLORA/FAUNA COMMENTS

Describe potentially damaging exotic (i.e., alien) flora and fauna (e.g., cheatgrass, leafy spurge, knapweed, feral cats, horses, etc.) on the site. Indicate their location and abundance, as well as their effect on the viability of endangered elements. Indicate also how stewardship will manage or control the exotic species and whether local ordinances require such control.

OFF-SITE CONSIDERATIONS

Describe off-site land uses (e.g., farming, logging, grazing, dumping, watershed diversion, etc.) and how those uses might affect the site, elements on the site, and management of the site.

SITE AND ELEMENT MANAGEMENT NEEDS

Summarize the expected management needs for the site and the elements on it. Include routine items such as need for fencing, restricting use, grazing, control of exotics, burning, etc.

COMMUNITY SURVEY FORM INSTRUCTIONS

IDENTIFICATION AND LOCATION

MANUAL

Enter the version number of the MTNHP survey manual used in completing this form (i.e., "91B" for this manual).

UNITS (one-character code)

Units of Length - enter "X" in the appropriate space to describe if the units of length or height being entered are feet or meters.

PLOT NUMBER (seven-character alphanumeric code)

Record in order the year (2-digits), the first and second initial of the principal examiner (2-characters), and the plot ascension number (3-digits).

Example: The 33rd plot sampled in 1991 by Hank Gleason would be entered as 91HG033.

EOCODE (14-character alphanumeric code)

Element Occurrence Code - enter this code in the field only if it's known. Record in order the MTNHP element code (10-characters), a period, and occurrence ascension number (3-digits).


Example: The 23rd occurrence of the Douglas-fir/little bluestem plant association would be entered as C2ABBABF0.023.

PNC

Potential Natural Community - if the PNC is questionable, make notes concerning the problem either in this field or in the "Comments" field.

CT

Community Type - in many cases, the CT and PNC will be equivalent. If the CT is questionable, make notes concerning the problem either in this field or in the "Comments" field.



SITE

Surveysite - name assigned to the plot site at the time it is sampled. In many cases, this name will be equivalent to the "Sitename" given on the Site Survey Form, except will include modifiers to differentiate this specific plot from the general site.

Example: A plot in the eastern portion of the Block Mountain Standard Site might have the Surveysite name "Block Mountain East".

A few standards in naming follow:

1. do not use element names in the site name
2. use local place names when available
3. use names of features on topographic maps when local names do not exist

PURP (one-character code)

Purpose - enter one of the following codes explaining why the data was collected. If more than one code applies, enter "I":

- F - evaluation of fire effect, fire history, or fuels
- C - TES plant species habitat analysis
- G - TES animal species habitat analysis
- W - general wildlife habitat analysis
- B - big game habitat analysis
- M - range monitoring (e.g., readiness, trend, utilization)
- V - correlation of vegetation with soil survey
- D - evaluation of watershed erosion, rehabilitation, or cover
- Z - research plot
- L - correlation or classification for spectral or LANDSAT data
- J - RNA and SIA analysis
- E - new classification or succession study
- I - integrated multi-resource inventory and monitoring
- H - data to strengthen existing classification
- X - other purpose not listed here

PREC (one-character code)

Precision to which the plot can be located on a topographic map is defined as follows:

- S second - mappable within a three-second radius
- M minute - mappable within a one-minute radius

(approximately 2 km or 1.5 miles)

- G general - mappable to quad or place name precision only
 (precision within about 8 km or 5 miles)

COMMUNITY SIZE (acres)

Total size of the continuous community occurrence (not plot size).

PLOT TYPES (up to five-character code)

Up to five of the following 1-digit codes listing the types of forms completed for this plot:

- S - Site Survey Form
- C - Community Survey Form
- M - Microplot Vegetation Data Form
- T - Tree Measurement Form
- E - Soil Characterization Form
- R - Reconnaissance Soil Characterization Form

PLTRL (up to three-digit number)

Plot Radius or Length - enter plot radius (for circular plots) or length (for rectangular plots). Indicate units of measurement.

Note: a 375 m² plot has a radius of 10.9 m (35.8 ft)
 a 50 m² plot has a radius of 4.0 m (13.1 ft)

PLOT W (up to three-digit number)

Plot Width - enter width if a rectangular plot shape is used. Enter 0 (numeric) if a circular plot shape is used. Indicate units of measurement.

SURVEY (five-character alphanumeric code)

Character 1 - method of locating plot. Enter one of the following:

- A - plot subjectively located to represent vegetation in occurrence (typically used in inventory)
- B - plot subjectively located to represent stand, and will be used to monitor vegetation change through

time with or without treatment

- C - plot is part of series of replicated plots systematically or randomly located within occurrence to describe the occurrence
- E - plot is part of series of replicated plots systematically or randomly located in treatment or control area to measure vegetation change with treatment over time
- F - plot is part of predetermined stratified sampling design (e.g., gradsect)

Character 2 - photo taken of plot? Enter Y or N.

Character 3 - permanency and location of plot. Enter one of the following:

- N - plot not permanent, the exact location unknown
- P - permanent plot marked with stakes or measurements to permanent features, and location and layout are marked on map
- L - plot not permanent, but location accurately marked on 1:24,000 or larger scale map or aerial photo to about 100 feet
- G - plot not permanent, and location known only within general geographic area

Characters 4 and 5 - for use with re-measurement plots. Enter re-measurement ascension number (e.g., 01 for initial measurement; 06 for sixth measurement). Leave blank otherwise.

PHOTOS

Indicate how many photos were taken of the plot and any details regarding the photo(s), e.g., "One photo taken looking N across entire plot".

DIRECTIONS

Directions to Plot - enter precise directions to the plot using a readily locatable landmark (e.g., a city, a major highway, etc.) as the starting point on a state or local road map. Use clear complete sentences that will be understandable to someone who is unfamiliar with the area, needs to get to the plot, and has only your directions to follow. Cite dis-

tances as closely as possible to the 1/10 of a mile, use compass directions (N, S, E, and W), and be sure to specify the best access to the plot, such as where to park or which trail to use.

CONSERVATION RANKING

Grade the community occurrences condition, viability, and defensibility according to the following scale:

- A - excellent
- B - good
- C - marginal
- D - poor
- F - terrible

COND (one-character code)

Condition - base grade on how much of the site and the community occurrence itself has been damaged or altered from its optimal condition and character. Provide comments on condition grade.

VIAB (one-character code)

Viability - base grade on the long-term prospects for continued existence of the occurrence. Provide comments on viability grade.

DEFN (one-character code)

Defensibility - base grade on the extent to which the occurrence can be protected from extrinsic human factors that might otherwise degrade or destroy it. Provide comments on defensibility grade.

RANK (one-character code)

Summary grade of the condition, viability, and defensibility grades listed. Provide comments on this overall grade, i.e., EORANKCOM.

MGMT

Management Comments - comment on any management (new or additional) needed to ensure continued existence of the

community occurrence, and chances (and means) of bringing it about. Any other pertinent comments go here as well, e.g., "... clearing of competing vegetation has been tried in the past but without success".

PROT

Protection Comments - comment on any legal protection (new or additional) needed to ensure continued existence of the community occurrence, and chances (and means) of bringing it about. Any other pertinent comments go here as well, e.g., "... landowner shows interest in taking action to legally protect community occurrence".

ENVIRONMENTAL FEATURES

DL (one-character code)

Dominant Life Form - enter one of the following codes to describe the dominant live life form currently present on the plot (Note: dominate life form = life form with the greatest foliar volume):

- A - aquatic species dominate
- B - broadleaf trees dominate
- C - coniferous trees dominate
- F - forbs dominate
- G - graminoids dominate
- H - herbs (graminoid/forb mixture) dominate
- M - moss or lichens dominate
- N - non-vegetated soil
- P - agricultural cropland
- R - rock or scree
- S - shrubs dominate

SOIL RPT

Soil Survey Report - cite the soil survey report used to identify the "Soil Unit" and "Soil Taxon". If none, enter "-".

Example: "Soil Survey of Madison County (SCS 1989)"

SOIL UNIT

Enter the appropriate map unit symbol from the soil survey map of the area. If none, enter "-".

SOIL TAXON

Enter the appropriate soil subgroup name from the soil survey report for the area. If not known, enter "-".

PM (four-character code)

Parent Material - enter the appropriate parent material code from the list below:

Sedimentary

SETU - type unknown
LIME - limestone
DOLO - dolomite
SAND - sandstone
CASA - calcareous sandstone
SILT - siltstone
CASI - calcareous siltstone
SHAL - shale
RESH - red shale
CASH - calcareous shale
CONG - conglomerate
CACO - calcareous conglomerate

Metamorphic

METU - type unknown
ARGI - argillite
CAAR - calcareous argillite
SILI - siltite
QUAR - quartzite
SLAT - slate
PHYL - phyllite
SCHI - schist
BISC - biotite schist
MISC - mica schist
GNBG - gneiss and biotite gneiss

Igneous

IGTU - type unknown
BASA - basalt (including obsidian)
ANDE - andesite
DIGA - diorite to gabbro
LATI - latite
QUMO - quartz monzonite
TRSY - trachyte and syenite
RHYO - rhyolite
GRBG - granite and biotite granite
WETU - welded tuff (tufa)
SCOR - scoria (porcelanite), clinker

Miscellaneous

GRAL - gravelly alluvium
 SAAL - sandy alluvium
 SIAL - silty alluvium
 CLAL - clayey alluvium
 MIAL - mixed alluvium
 GLTI - glacial till, mixed origin
 ASHT - ash (of any origin)
 MISE - mixed sedimentary
 MIME - mixed metamorphic
 MIIG - mixed igneous
 LOES - loess
 MIRT - mix of two or more rock types
 DUNE - sand dunes

LANDFORM (four-character code)

Enter the appropriate geomorphic landform code from the list below:

<u>General Landform Type</u>	<u>Code</u>	<u>Refined Landform Type</u>
residual mountain slopes and ridges	RMTU	type unknown
	RMDS	dissected straight slopes
	RMDC	dissected convex slopes
	RMUS	undissected slopes
	RMRI	ridges
	RMDE	depressions
glaciated mountain slopes and ridges	GMTU	type unknown
	GMUS	undissected slopes
	GMDS	dissected slopes
	GMRI	ridges
alpine glacial valleys	AVTU	type unknown
	AVTB	trough bottoms
	AVUT	undissected troughwalls
	AVDT	dissected troughwalls
	AVAP	avalanche paths and debris fans
alpine glacial ridges	ARTU	type unknown
	ARCB	cirque basins
	ARCH	cirque headwalls and alpine ridges
	ARUU	undulating uplands

INTERNATIONAL JOURNAL OF

COMPARATIVE LITERATURE

Volume 1, Number 1, 1968

Editor: J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

Editorial Board: J. H. Greenberg, J. H. Greenberg, J. H. Greenberg

<u>General Landform Type</u>	<u>Code</u>	<u>Refined Landform Type</u>
rolling uplands	RUTU	type unknown
	RULR	low relief rolling uplands
	RULD	low relief uplands, dense drainage
	RUMR	moderate relief rolling uplands
	RUDR	dissected rolling uplands
breaklands	BLTU	type unknown
	BLDR	dissected river breaks
	BLUR	undissected river breaks
	BLSB	structural breaks
	BLSH	stream headlands
structurally controlled mountain slopes	SCTU	type unknown
	SCDS	dip slopes
	SCDR	dipping layered rocks
	SCPL	plateaus
glacial till forms	GTTU	type unknown
	GTMO	moraines
	GTDL	drumlins
	GTKK	kames and kettles
alluvial-colluvial-lacustrine forms	ACTU	type unknown
	ACFP	flood plains
	ACTE	terraces
	ACAF	alluvial fans
	ACCF	colluvial fans
	ACBT	colluvial basins and toeslopes
	ACAB	alluvial basins
mass wasted slopes	MWTU	type unknown
	MWLS	landslides

PLOT POS (four-character code)

Plot Position - enter the appropriate code from the list below to describe the topographic position of the plot:

<u>General Plot Position</u>	<u>Code</u>	<u>Refined Plot Position</u>
narrow valley bottom (<100 feet wide)	NVTU	type unknown
	NVSC	stream channel
	NVSB	stream bar
	NVLE	levee (narrow flood plain overbank deposits)
	NVCD	colluvial deposit (colluvial fan)
moderate valley bottom (100-300 feet wide)	MVTU	type unknown
	MVSC	stream channel
	MVSB	stream bar
	MVFP	flood plain (incl. levees if appropriate)
	MVAM	abandoned meander
	MVOX	oxbow
	MVBS	backwater slough
	MVTE	terrace
	MVAF	alluvial fan (toeslope)
wide valley bottom (>300 feet wide)	WVTU	type unknown
	WVSC	stream channel
	WVSB	stream bar
	WVFP	flood plain (incl. levees if appropriate)
	WVAM	abandoned meander
	WVOX	oxbow
	WVBS	backwater slough
	WVTE	terrace
	WVAF	alluvial fan (toeslope)
slope features	SLTU	type unknown
short slope	SLSS	short slope, neither upper nor lower (<100 ft)
lower slope	SLLS	lower slope
	AFLS	lower slope of alluvial fan (fan skirt)
mid slope	SLMS	mid slope
	AFMS	mid slope of alluvial fan
upper slope	SLUS	upper slope
	AFUS	upper slope of alluvial fan

<u>General Plot Position</u>	<u>Code</u>	<u>Refined Plot Position</u>
shoulder	SHDR	shoulder
ridge	RINR	narrow ridge (<100 ft wide)
	RIWR	wide ridge summit (>100 ft wide)
bench	BNCH	bench in mountainous terrain

SLP SHAPE (one-character code)

Slope Shape - enter one of the following codes to indicate the vertical shape of the slope on which the plot lies:

S - straight or even
R - rounded or convex
D - depression or concave
P - patterned (micro-relief of hummocks and swales)
U - undulating pattern of low ridges or knolls and draws
X - other

ASP (up to three-digit number)

Aspect - enter the direction of the slope on which the plot occurs (in degrees; corrected for declination).


SLOPE % (up to three-digit number)

Enter the steepness of the slope on which the plot occurs (in percent).

EROS POTENT (two-character code)

Erosion Potential - enter one of the following codes to indicate the potential for erosion on the plot:

SA - soil surface is stable with no evidence of accelerated erosion
UC - soil surface is unstable because of compaction
UD - soil surface is unstable because of displacement and/or churning of the soil



UP - soil surface is unstable because of lack of protective vegetation cover

UA - unable to assess

EROS TYPE (two-character code)

Enter one of the following codes to indicate the dominant type of erosion occurring on the plot:

NO - none
SE - sheet erosion
RE - rill erosion
GE - gully erosion
DE - deposition
WE - wind erosion
SC - soil creep
SL - slump (earth flow)
TD - terrace development
SL - slide

HORIZON ANGLE (%) (up to three-digit numbers)

Record the angles to the four horizons (in percent).

IFSLP (up to three-digit number)

If "General Plot Position" is sloping (i.e., > 3% slope), estimate distance from top of slope to upper edge of plot. Indicate units of measurement.

IFVAL (up to three-digit number)

If "General Plot Position" is level (i.e., 0 - 3% slope), estimate distance across valley or flat (passing through plot). Indicate units of measurement.

SPFE

List any special features of the site on which the plot is located (if desirable, describe these features under "General Site Description"). If none described, enter "NA".

Examples: avalanche chute, talus, seep, etc.

GROUND COVER (two-digit codes)

Enter cover class code for each of the following types of ground cover:

- S - bare soil (particles < 1/16 in. dia.)
- G - gravel (particles 1/16 to 3 in. dia.)
- R - rock (particles > 3 in. dia.)
- L - litter and duff. Litter includes freshly-fallen leaves, needles, twigs, bark, fruits; duff is fermentation layer and humus layer.
- W - wood (downed fragments > 1/4 in. dia.)
- M - moss. Also includes Lycopodium and Selaginella.
- BV - basal vegetation. This is the area occupied by root crowns and stems, not canopy cover. Values rarely exceed 30% and are usually lower.
- O - other. Use when an additional category is needed. Identify the "other" item (e.g., lichen; water).

Use the following cover classes and codes:

<u>Code</u>	<u>Class</u>	<u>Midpoint</u>
0	0%	0%
1	< 1%	0.5%
3	1% to 4.9%	3%
10	5% to 14.9%	10%
20	15% to 24.9%	20%
30	25% to 34.9%	30%
40	35% to 44.9%	40%
50	45% to 54.9%	50%
60	55% to 64.9%	60%
70	65% to 74.9%	70%
80	75% to 84.9%	80%
90	85% to 94.9%	90%
98	95% to 100%	97.5%

RIPARIAN FEATURES

If the plot is within the riparian zone record the following information (indicate units of measurement as appropriate):

Channel Width (up to three-digit number) - if valley contains multiple channels, give width of channel nearest to the plot.

Channel Entrenchment (up to three-digit number) - depth to which channel has cut into valley floor.

Surface Water (two-digit code) - estimate of maximum ground cover of surface water on plot during the year (use cover classes listed above under "Ground Cover").

Height Above Water (up to three-digit number) - height of plot above stream or pond surface when water is at bank-full stage (water at bank-full stage reaches lower limit of terrestrial vegetation).

Distance from Water (up to three-digit number) - distance from water at bank-full stage to nearest plot edge.

GENERAL SITE DESCRIPTION

Description (a "word picture") of the place where the sampled community occurs. (Any specific information about the plot itself should be written into the "Comments" field following the "Ocular Plant Species Data"). Consider the setting of the community occurrence in the surrounding landscape (including landscape features and adjacent community types).

OCULAR PLANT SPECIES DATA

This portion of the form is used for recording plant species data by lifeform class, i.e., "Trees", "Shrubs", "Graminoids", and "Forbs".

For all cover estimates, use the codes from the following cover class table:

<u>Code</u>	<u>Class</u>	<u>Midpoint</u>
1	< 1%	0.5%
3	1% to 4.9%	3%
10	5% to 14.9%	10%
20	15% to 24.9%	20%
30	25% to 34.9%	30%
40	35% to 44.9%	40%
50	45% to 54.9%	50%
60	55% to 64.9%	60%
70	65% to 74.9%	70%
80	75% to 84.9%	80%
90	85% to 94.9%	90%
98	95% to 100%	97.5%

PltIDL (two-digit code)

Plant Identification Level - enter the two-digit number that represents the percent of canopy cover equal to or greater than which all plants are to be identified. For example, "5" indicates that all plant species having 5% canopy cover or greater would be recorded; "0" indicates all plant species have been recorded.

APPENDIX D

Legal descriptions and habitat associations of Ferruginous
Hawk nests observed in southwest Montana (1992).

AREA	LOCATION	STATUS	D-01
			ASSOCIATION
Armstead	T12S,R09W,S01,SENESE	INACTIVE	SS
	T11S,R08W,S31,NENESW	INACTIVE	FP
	T12S,R09W,S35,SESENW	INACTIVE	SS
Bannack	T07S,R11W,S35,SENENW	ACTIVE	SS
	T07S,R11W,S36,SWNESW	INACTIVE	SS
	T07S,R11W,S36,SWNWNW	INACTIVE	SS
	T07S,R11W,S36,SWNWNW	INACTIVE	SS
	T07S,R11W,S35,SENESE	INACTIVE	SS
	T07S,R11W,S36,SWNESW	INACTIVE	SS
	T07S,R11W,S36,SWNWNW	INACTIVE	SS
	T07S,R11W,S35,NESWNW	INACTIVE	SS
Block Mtn.	T04S,R08W,S16,SESWSW	ACTIVE	SS
Diamond Butte	T15S,R06W,S08,NESENE	ACTIVE	SS
	T15S,R06W,S07,SWSWNE	ACTIVE	SS
Frying Pan	T06S,R09W,S20,SENESE	ACTIVE	FP
	T06S,R09W,S18,SWSESE	ACTIVE	SS
	T06S,R09W,S18,SWNENW	ACTIVE	SS
	T06S,R09W,S17,SWSENE	ACTIVE	FP
	T06S,R09W,S08,NESENE	ACTIVE	SS
	T06S,R09W,S32,NWSWNE	ACTIVE	FP
	T07S,R09W,S04,NESENW	ACTIVE	SS
	T06S,R09W,S33,SWNWNW	ACTIVE	FP
	T06S,R09W,S18,SWNWSE	INACTIVE	SS
	T07S,R09W,S05,NENESW	INACTIVE	FP
	T06S,R09W,S18,SWNENW	INACTIVE	SS
	T06S,R09W,S18,SWNENW	INACTIVE	SS
	T06S,R09W,S18,SWNWSE	INACTIVE	SS
	T07S,R10W,S01,NENWNW	INACTIVE	FP
	T06S,R09W,S28,NWNWSE	INACTIVE	SS
	T06S,R09W,S20,SENESE	INACTIVE	FP
	T07S,R09W,S03,NESESE	INACTIVE	SS
	T06S,R09W,S08,NESWNE	INACTIVE	SS
	T06S,R09W,S28,NWNWSE	INACTIVE	SS
	T06S,R10W,S25,NESESE	INACTIVE	SS
Henneberry Ridge	T09S,R10W,S19,NESWNE	ACTIVE	MM
	T08S,R11W,S35,NENWNW	INACTIVE	SS
	T08S,R11W,S35,SENENW	INACTIVE	SS
	T09S,R11W,S24,SENWSW	INACTIVE	MM
	T08S,R11W,S25,SESWNE	INACTIVE	SS
	T09S,R11W,S25,NENWNW	INACTIVE	SS
	T09S,R11W,S12,NENESW	INACTIVE	SS
	T08S,R11W,S25,SESENE	INACTIVE	SS
	T09S,R11W,S12,NENESW	INACTIVE	SS

AREA	LOCATION	STATUS	D-02
			ASSOCIATION
Sweetwater	T08S,R05W,S27,SWNWSE	ACTIVE	FP
	T08S,R05W,S27,SWNWSE	INACTIVE	FP
	T08S,R05W,S27,NWNENE	INACTIVE	FP
Vinegar Hill	T12S,R07W,S28,SESESE	ACTIVE	FP
	T12S,R07W,S20,SENESE	INACTIVE	FP
	T12S,R07W,S28,SESWSW	INACTIVE	FP
Incidental	T14S,R06W,S33,SESENE	ACTIVE	FP

SS = Sagebrush Steppe
 FP = Foothill Prairie
 MM = Mountain Mahogany

APPENDIX E

Legal descriptions of other raptor nests observed while performing Ferruginous Hawk surveys in southwest Montana (1992).

AREA	SPECIES	LOCATION
Armstead	Red-tailed Hawk	T11S,R08W,S32,SENWSW
Bannack	Long-eared Owl	T07S,R11W,S03,NENENE
	Red-tailed Hawk*	T07S,R11W,S35,SWSWNW
	Red-tailed Hawk	T07S,R11W,S02,NWNWSE
	American Kestrel	T07S,R11W,S34,SWNENE
	Prairie Falcon	T08S,R11W,S04,NWSESW
	Prairie Falcon	T07S,R11W,S36,SWNWSW
Block Mtn.	Red-tailed Hawk	T04S,R08W,S36,NENWSW
	Golden Eagle	T04S,R08W,S23,SESESW
Diamond Butte	Swainson's Hawk	T14S,R06W,S04,SENWSW
	Swainson's Hawk	T15S,R07W,S02,NESENE
	Red-tailed Hawk	T15S,R07W,S12,NESWNE
Frying Pan	Golden Eagle	T06S,R09W,S28,NWNESW
	Prairie Falcon	T06S,R09W,S17,SESWSW
	Prairie Falcon	T06S,R09W,S25,SENWSE
	American Kestrel	T06S,R09W,S28,NWNWNW
	American Kestrel	T06S,R09W,S28,NWNWSE
Henneberry Ridge	Prairie Falcon	T09S,R10W,S08,NENENE
	Prairie Falcon	T09S,R11W,S02,SWSESE
	Prairie Falcon	T09S,R10W,S19,SESESE
	American Kestrel	T09S,R10W,S07,NESESE
Vinegar Hill	Golden Eagle	T13S,R07W,S05,SENWSW
	Golden Eagle	T13S,R08W,S02,SWNWSE
	Prairie Falcon	T12S,R07W,S20,SESESW
Sweetwater	Golden Eagle	T09S,R05W,S04,SWSWNE
Incidental	Long-eared Owl	T14S,R04W,S06,NESENE

* Krider's Hawk ♂ x Dark morph ♀

Tot Cv (two-digit code)

Total Cover - estimate the percent canopy cover for the respective lifeform. This estimate is not the sum of all species in the lifeform and does not count overlap. It is the horizontal percent cover of the vertical projection of the lifeform.

Tal Cv (two-digit code)

Tall Height Cover - estimate "Total Cover" (as described above) by life form for individuals taller than 5 m (16.4 ft).

Med Cv (two-digit code)

Medium Height Cover - estimate "Total Cover" (as described above) by life form for individuals between 0.5 and 5 m tall (1.6 - 16.4 ft).

Low Cv (two-digit code)

Low Height Cover - estimate "Total Cover" (as described above) by life form for individuals between 0.05 and 0.5 m tall (0.2 - 1.6 ft).

Grd Cv (two-digit code)

Ground Height Cover - estimate "Total Cover" (as described above) by life form for individuals shorter than 0.05 m (0.2 ft).

MHt (three-digit code)

Mean Height - estimate the mean height of the dominant size class within the respective lifeform. Indicate units of measurement.

CC (two-digit code)

Canopy Cover - enter the appropriate canopy cover code listed above for each species in each lifeform.

T1, T2, S1, etc.

List each species within a lifeform using the following convention: full scientific binomial, code name (first three letters of genus and first three letters of the specific epithet), and canopy cover code (see "CC" above).

Example: T1 Pinus ponderosa / PINPON | 40

COMMENTS (EODATA)

Specific information regarding the community occurrence at the site, e.g., numbers, size, condition, peculiar characteristics, viability.

